VOLUME 53 • AUTHOR INDEX

Aarden L *see* Niessen HWM *et al*
Abbou CC *see* Paule B *et al*
Abdulla A, Yee L. The clinical spectrum of *Clostridium sordellii* bacteraemia: two case reports and a review of the literature, **709**
Abraham JS *see* Blewitt RW *et al*
Accinelli G *see* Arisio R *et al*
Achten R *see* de Wolf-Peeters C and Achten R
see Maes B *et al*
Adamson R *see* Leake R *et al*
Adelstein S *see* Williams A *et al*
see Wong RCW *et al*
Adler G *see* Song Q *et al*
Akagi T *see* Yoshino T *et al*
Akazawa K *see* Tanaka M *et al*
Alexander HD *see* Hull DR *et al*
Algaba F *see* Montironi R *et al*
Allan TF *see* Fitzmaurice DA *et al*
Allen R *see* Mayall F *et al*
Allford SL, Machin SJ. Current understanding of the pathophysiology of thrombotic thrombocytopenic purpura: *leader*, **497**
Allport T *see* Mahadeva U *et al*
Al-Nafussi A *et al*. The borderline cervical smear: colposcopic and biopsy outcome, **439**
Al-Shafi KM *see* James PA and Al-Shafi KM
Al-Tamimi SR *see* Cowan WK *et al*
Al-Yusif R *see* Al-Nafussi A *et al*
Anderson E *see* Shoker BS *et al*
Anderson L *see* Leake R *et al*
Anderson T *see* Leake R *et al*
Angelini A *see* Calabrese F *et al*
Angus B *see* Cowan WK *et al*
Appleton MAC *see* Douglas-Jones AG *et al*
Arends MJ *see* Penman ID *et al*
Arguelles R *see* Gras E *et al*
Arisio R *et al*. What modifies the relation between tumour size and lymph node metastases in T1 breast carcinomas?, **846**
Armour A *see* Paxton JR *et al*
Armstrong GR *et al*. *Pasteurella multocida* meningitis in an adult: case report, **234**
Asante M *see* Ballam LD *et al*
Ashburn D *et al*. Toxoplasma dye test using cell culture derived tachyzoites, **630**
Ashfaq R *see* Wang S *et al*
Ashwell S *see* Howard MR *et al*
Attanoos RL *see* Douglas-Jones AG *et al*
see Gibbs AR and Attanoos RL

Baak JPA *see* Ørbo A *et al*
Baglin T. Thrombophilia testing: what do we think the tests mean and what should we do with the results?: *leader*, **167**
Bain B *see* Mahadeva U *et al*
Bain BJ *see* Phillips D *et al*
Baithun SI *see* Bates AW *et al*
Balaton AJ *see* Rhodes A *et al*
see Rhodes A *et al*
Baldwin LJ, Poller DN. Candidal infection is uncommon in acute oesophagitis: Evidence from a non-selected DGH population: *letter*, **84**
Ballam LD *et al*. Western blotting is useful in the salivary diagnosis of *Helicobacter pylori* infection, **314**
Balsitis M *see* van Wyk Q *et al*
Ban S *et al*. Phenotypic change of muscularis mucosae in early invasive colorectal adenocarcinoma, **878**
Bangham CRM. HTLV-1 infections: *leader*, **581**
Barbara J *see* Dawson S *et al*
Barbara J *et al*. Prevalence of HIV and hepatitis C markers among a cadaveric population in Milan: *letter*, **405**
Bareford D *see* Wandroo FA *et al*
Bargon J *see* Frye M *et al*
Barker THW *et al*. Necropsy organ weights are largely useless: *letter*, **243**
Barnes D *see* Leake R *et al*
Barnes DM *see* Rhodes A *et al*
see Rhodes A *et al*
Barrett A *see* Kearns AM *et al*
Barrett Lee P *see* Ellis IO *et al*
Bartels PH. Future directions in quantitative pathology: digital knowledge in diagnostic pathology, **31**
Bartlett J *see* Ellis IO *et al*
Basso C *see* Calabrese F *et al*
Bates AW *et al*. Malignant lymphoma of the urinary bladder: a clinicopathological study of 11 cases, **458**
Batman P *et al*. Re: Intra-alveolar haemorrhage in sudden infant death symdrome: a cause for concern?: *letter*, **484**
Baty DU *see* Forster LF *et al*
Beerlage HP *see* van Leenders GJLH *et al*
Behan WMH *et al*. Muscle changes in the neuroleptic malignant syndrome, **223**
Belleville J *see* Merzouk H *et al*
Belot J *see* Paule B *et al*
Benbow EW *see* Roberts ISD *et al*
see Roberts ISD *et al*
Benson EM *see* Wong RCW *et al*
Berner A *see* Risberg B *et al*
Berney DM *see* Dutt N and Berney DM
Beyer M *see* Kayser K *et al*
Bicknell R *see* Sivridis E *et al*
Blair J *see* Harris G *et al*
Blanco P *et al*. Unusual manifestations of type II cryoglobulinaemia associated with Waldenström's macroglobulinaemia, **882**
Blessing K *see* Edwards SL and Blessing K
see Kua H *et al*
Blessing K *et al*. Small cell malignant melanoma: a variant of naevoid melanoma. Clinicopathological features and histological differential diagnosis, **591**
Blewitt RW *et al*. Recurrence of Kikuchi's lymphadenitis after 12 years, **157**
Blomberg B *see* Danielsson D *et al*
Blum S *see* Kayser K *et al*
Bobrow LG *see* Rhodes A *et al*
Bode G *see* Song Q *et al*
Bode J *see* Penman ID *et al*
Bolger BS *see* Paxton JR *et al*
Bond LR *see* Howard MR *et al*
Bonfrèr HMG *see* van Doorn HC *et al*
Book reviews Anim J. The pathologist, **723**
Athanasou NA. Colour atlas of bone, joint, and soft tissue pathology, **947**
Bain BJ. Leukaemia diagnosis, **86**
Collins CD, Kennedy DA. Laboratory-acquired infections: history, incidence, causes and preventions, **805**
Cook J. Cellular pathology, **886**
Crocker J, Bumett D. The science of laboratory diagnosis, **243**
Cruse JM, Lewis RE. Atlas of immunology, **804**
Elissa S. Tumour markers, **886**
Elston CW, Ellis IO. The breast, **164**
Epstein JL, *editor*. The John Hopkins atlas of surgical pathology, **724**
Ferlay J, Parkin DM, Pisani P. GLOBOCAN 1: cancer incidence and mortality worldwide, **164**
Jones R, Payne B. Clinical investigation and statistics in laboratory medicine, **405**
King R. Atlas of peripheral nerve pathology, **886**
Mills SE, Gaffey MJ, Frierson HF. Atlas of tumor pathology: tumors of the upper aerodigestive tract and ear, **723**
Nyhan WL, Ozand PT. Atlas of metabolic diseases, **947**
Olbe L, *editor*. Proton pump inhibitors, **805**
Scheithauer BW, Woodruff JM, Erlandson RA. Tumors of the peripheral nervous system, **947**
Shanson DC. Microbiology in clinical practice, **805**
Spickett G. Oxford handbook of clinical immunology, **244**
Sternberg SS, *editor*. Diagnostic surgical pathology, **804**
Thiel W. The photographic atlas of practical anatomy, **947**
Walz W, *editor*. Cerebral ischemia: molecular and cellular pathophysiology, **405**
Walz W. Molecular and cellular pathophysiology, **163**
WHO. Basic tests for drugs. Pharmaceutical substances, medicinal plant materials and dosage forms, **86**
Boon ME *see* Rozendaal L *et al*
Bosman FT. Continuous professional development in pathology: a continental view, **10**
Bouchenak M *see* Merzouk H *et al*
Bourke SJ *see* Kearns AM *et al*
Boxer M. Molecular techniques: divide or share, **19**
Boysen G *see* Maury CPJ *et al*
Bradburn S, Heatley M. The effect of using templates on the information included in histology reports on specimens of uterine cervix taken by loop excision of transformation zone (LETZ): *letter*, **645**
Braithwaite RA *see* Cook DS *et al*
Brenchley PEC *see* Roberts ISD and Brenchley PEC
Breuer J *see* Helbert M and Breuer J
Briend E *see* Pajak B *et al*
Brink NS *see* Preiser W *et al*
Broeckaert MAM *see* Ørbo A *et al*
Bulten J *see* Hannen EJM *et al*
Burger CW *see* van Doorn HC *et al*
Burnett D *see* Read SJ *et al*
Burnett RA *see* Paxton JR *et al*
Burrell M *see* Kua H *et al*

Burroughs SH, Williams GT. Examination of large intestine resection specimens: *leader*, **344**
Burton JL *et al.* Demand management in urine cytology: a single cytospin slide is sufficient, **718**
Bussolati G *see* Arisio R *et al*
Butler J *see* Roberts F *et al*
Byrne CD, Phillips DI. Fetal origins of adult disease: epidemiology and mechanisms: *leader*, **822**

Cairns A *see* Rotimi O *et al*
Calabrese F *et al.* No detection of enteroviral genome in the myocardium of patients with arrhythmogenic right ventricular cardiomyopathy, **382**
Calonje E. The histological reporting of melanoma: *leader*, **587**
Cameron S *see* Johnston J *et al*
Cardona D *see* Gras E *et al*
Carey FA *see* Forster LF *et al*
Carter N *see* Batman P *et al*
Caslin A *see* Douglas-Jones AG *et al*
Cassoni P *see* Arisio R *et al*
Catasus L *see* Gras E *et al*
Cattaneo C *see* Barbara J *et al*
Caul EO *see* Madeley CR *et al*
see McCaughey C *et al*
Cavenagh JD *see* Smith PR *et al*
CD-ROM review The John Hopkins Atlas of Surgical Pathology. *Epstein JL, editor*, **74**
Chakrabarty A, Franks AJ. Temporal artery biopsy: is there any value in examining biopsies at multiple levels?, **131**
Chalmers EA. Neonatal thrombosis: *leader*, **428**
Champ CS *see* Douglas-Jones AG *et al*
Chamuleau RAFM *see* Borg FT *et al*
Chan JCN *see* Zhong S *et al*
Chan WK *see* Mahadeva U *et al*
Chang CL *et al.* Evaluating the usefulness of the ICT tuberculosis test kit for the diagnosis of tuberculosis, **715**
Chang G *see* Savige J *et al*
Chart H *et al.* The serodiagnosis of infection with *Salmonella typhi*, **851**
Chatterton JMW *see* Ashburn D *et al*
Chattopadhyaya TK *see* Singh KK *et al*
Cheesbrough JS *see* Chart H *et al*
Cherian MA, Richmond I. Fatal methane and cyanide poisoning as a result of handling industrial fish: a case report and review of the literature, **794**
Chinn D *see* Smellie WSA *et al*
Chott A *see* Berge RLT *et al*
Clark BJ *see* Behan WMH *et al*
Clark DA *see* Mattes FM *et al*
Clarke RB *see* Shoker BS *et al*
Close P *see* Engel M *et al*
Coburn P *see* Blessing K *et al*
Cockburn JS *see* Edwards SL *et al*
Codere G *see* Johnston J *et al*
Collie D *see* Roddie P *et al*
Cook DG *see* Ballam LD *et al*
Cook DS *et al.* Estimating antemortem drug concentrations from postmortem blood samples: the influence of postmortem redistribution, **282**
Cooke T *see* Ellis IO *et al*
Cookson B. Infection and antimicrobial prescribing control in the new millennium: nightmare or nirvana?, **66**
Coppen MJ *see* Zaitoun AM *et al*
Corfield AP *see* Longman RJ *et al*
Cotter M *see* Douglas-Jones AG *et al*
Coulombel C *see* Paule B *et al*
Cowan WK *et al.* A study of interval breast cancer within the NHS breast screening programme, **140**
Coyle PV *see* Madeley CR *et al*
see McCaughey C *et al*
Crabtree JE *see* Danielsson D *et al*
Crawford DH *see* Hopwood P and Crawford DH
Cristaudo C *see* Fraggetta F *et al*
Crocker J. The future of scientific communication in pathology, **13**
Crook MA. Chemical pathology: what has changed?: *editorial*, **6**
Near patient testing and pathology in the new millennium, **27**
Skin tags and the atherogenic lipid profile, **873**
Crook MA *et al.* A paradoxical severe decrease in serum HDL-cholesterol after treatment with a fibrate, **796**
Cross SS *see* Helbert M *et al*
Cserni G. Axillary staging of breast cancer and the sentinel node: *leader*, **733**
Cuccorese MC *see* Arisio R *et al*
Curry A *see* Madeley CR *et al*
see McCaughey C *et al*
Cuypers HTM *see* Borg FT *et al*

Dallimore NS *see* Douglas-Jones AG *et al*
Danielsson D *et al.* Co-expression in *Helicobacter pylori* of cagA and non-opsonic neutrophil activation enhances the association with peptic ulcer disease, **318**
D'Arrigo C *see* Fraggetta F *et al*
Daskalopoulou D *see* Papadhimitriou SI *et al*
Dauletbaev N *see* Frye M *et al*
Davidson B *see* Risberg B *et al*
Davies MPA *see* Shoker BS *et al*
Dawson A *see* Douglas-Jones AG *et al*
Dawson S *et al.* The risk of infection transmission by blood transfusion in England: *letter*, **85**
de Araújo NS *see* de Sousa SOM *et al*
de Araújo VC *see* de Sousa SOM *et al*
Defres S *see* Forster LF *et al*
Dekeersmaecker A *see* Donders GGG *et al*
de La Chapelle A *see* Maury CPJ *et al*
de La Rosette JJMCH *see* van Leenders GJLH *et al*
Delaney C *see* Williams A *et al*
de Man RA *see* Borg FT *et al*
Demunter A *see* Maes B *et al*
De Smedt T *see* Pajak B *et al*
de Sousa SOM *et al.* Basal cell adenocarcinoma of the palate with squamous metaplasia, **153**
De Trez C *see* Pajak B *et al*
de Wilde PCM *see* Hannen EJM *et al*
de Wolf-Peeters C *see* Maes B *et al*
de Wolf-Peeters C, Achten R. Anaplastic large cell lymphoma: what's in a name?: *editorial*, **407**
di Lollo S *see* Dionisio D *et al*
Dionisio D *et al. Strongyloides stercoralis*: ultrastructural study of newly hatched larvae within human duodenal mucosa, **110**
Dixon MF *see* Morgan DR *et al*
see Rotimi O *et al*
Donders GGG *et al.* Wet mount microscopy reflects functional vaginal lactobacillary flora better than Gram stain, **308**
Dong HP *see* Risberg B *et al*
Douglas-Jones AG *et al.* Consistency in the observation of features used to classify duct carcinoma in situ (DCIS) of the breast, **596**
Douthwaite J *see* Longman RJ *et al*
Dowsett M *see* Ellis IO *et al*
Dray M *see* Mayall F *et al*
Drayton J *et al.* Next of kin clinics: *letter*, **646**
Drobniewski FA *see* Watterson SA and Drobniewski FA
Duprez D *see* Péoc'h M *et al*
Dutt N, Berney DM. Clear cell carcinoma of the ovary arising in a mucinous cystadenoma, **938**

Eastwood MA *see* Penman ID *et al*
Eden OB. Therapeutic trials in childhood ALL: what's their future?, **55**
Edgar D *see* Isotalo PA *et al*
Edwards SL, Blessing K. Problematic pigmented lesions: approach to diagnosis, **409**
Edwards SL *et al.* Preoperative histological classification of primary lung cancer: accuracy of diagnosis and use of the non-small cell category, **537**
Egner W. The use of laboratory tests in the diagnosis of SLE: *leader*, **419**
El Barghouti N *see* Morgan DR *et al*
El-Jehani F *see* Wandroo FA *et al*
Ellis I *see* Leake R *et al*
Ellis IO *et al.* Recommendations for HER2 testing in the UK: *leader*, **890**
Ellis PSJ *see* Drayton J *et al*
El-Zimaity HMT *et al.* The gastric cardia in gastro-oesophageal disease, **619**
Elzinger B *see* Preiser W *et al*
Emery VC *see* Mattes FM *et al*
Engel M *et al.* Improved prognosis of Epstein-Barr virus associated childhood Hodgkin's lymphoma: study of 47 South African cases, **182**
Engelich G *et al.* Raised plasma parathyroid hormone related peptide in gastric adenocarcinoma: *letter*, **643**
Enzan H *see* Nakayama H *et al*
Erbas H, Lai LC. Effect of transforming growth factor β_2 on oestrogen metabolism in the MCF-7 breast cancer cell line, **322**
Esperti F *see* Dionisio D *et al*
Essop MF *see* Engel M *et al*
Evans R *see* Ashburn D *et al*

Fabre-Bocquentin B *see* Péoc'h M *et al*
Falini B *see* Berge RLT *et al*
Farmery SM *see* Danielsson D *et al*
Feeley KM *et al.* Necropsy diagnosis of myocarditis: a retrospective study using CD45RO immunohistochemistry, **147**
Feinmesser M *et al.* HLA-DR and β_2 microglobulin expression in medullary and atypical medullary carcinoma of the breast: histopathologically similar but biologically distinct entities, **286**
Fell GS *see* Gaffney D *et al*
Fend F, Raffeld M. Laser capture microdissection in pathology: *leader*, **666**
Festen J *see* Hannen EJM *et al*
Fink CG *see* Read SJ *et al*
Fitzmaurice DA *et al.* A comparison of international normalised ratio (INR) measurement in hospital and general practice settings: evidence for lack of standardisation: *letter*, **803**

Flanagan AM *see* Lloyd J and Flanagan AM
Fletcher C *see* Johnston J *et al*
Foot ABM *see* Williamson ECM *et al*
Forrest ARW *see* Milroy CM and Forrest ARW
Forster GE *see* Smith PR *et al*
Forster LF *et al*. An investigation of the Peutz-Jeghers gene (LKB1) in sporadic breast and colon cancers, **791**
Fortt RW *see* Douglas-Jones AG *et al*
Foweraker JE *see* Goddard MJ *et al*
Fox H. Is H&E morphology coming to an end?, **38**
Fraggetta F *et al*. Pulmonary adenocarcinoma metastatic to pituitary craniopharyngioma: *letter*, **946**
Frank IN *see* Shelton Jr JB and Frank IN
Franks AJ *see* Chakrabarty A and Franks AJ
Freeman R *see* Kearns AM *et al*
Frenkel E *see* Wang S *et al*
Frye M *et al*. Expression of human α-defensin 5 (HD5) mRNA in nasal and bronchial epithelial cells, **770**
Fu J-F *see* Shih L-Y *et al*
Fukuda S *see* Yoshimura T *et al*
Furness PN. Renal biopsy specimens: *leader*, **433**
Furukawa T *see* Shitoh K *et al*

Gaffney D *et al*. Wilson's disease: acute and presymptomatic laboratory diagnosis and monitoring: *leader*, **807**
Galea G *see* Barbara J *et al*
Galia A *see* Fraggetta F *et al*
Galloway MJ *see* Smellie WSA *et al*
see Woods RS *et al*
Gambel P *see* Savige J *et al*
Gaspar HB *see* Jones AM and Gaspar HB
Gatter KC *see* Sivridis E *et al*
Giangaspero F *see* Fraggetta F *et al*
Giatromanolaki A *see* Sivridis E *et al*
Gibbs AR, Attanoos RL. Examination of lung specimens: *leader*, **507**
Gielis-Proper SK *see* Meijer A *et al*
see Meijer A *et al*
Gillis D *see* Savige J *et al*
Goddard MJ *see* Barker THW *et al*
Goddard MJ *et al*. Xenotransplantation—2000, **44**
Goepel JR *see* Burton JL *et al*
Gokaslan ST *see* Wang S *et al*
Goldberg D *see* Johnston J *et al*
Goldberg J *see* Behan WMH *et al*
Gorodkin LM *see* Roberts ISD *et al*
see Roberts ISD *et al*
Goto M *see* Yoshida S *et al*
Goto Y *see* Ban S *et al*
Goudie DR *see* Forster LF *et al*
Graham DY *see* El-Zimaity HMT *et al*
Grant JJH *see* Blessing K *et al*
Gras E *et al*. Application of microsatellite PCR techniques in the identification of mixed up tissue specimens in surgical pathology, **238**
Grasso G *see* Fraggetta F *et al*
Gray JC *see* Cowan WK *et al*
Gray S *see* Rotimi O *et al*
Green MA *see* Batman P *et al*
Gressin R *see* Péoc'h M *et al*
Grice G *see* Péoc'h M *et al*
Griffiths AP *see* Douglas-Jones AG *et al*
Griffiths PD *see* Mattes FM *et al*
Gropp R *see* Frye M *et al*
Gullick W *see* Ellis IO *et al*
Gusterson B *see* Ellis IO *et al*

Hack CE *see* Niessen HWM *et al*
Hada T *see* Moriwaki Y *et al*
Hagiwara T *see* Tanaka M *et al*
Hale KA *see* Cook DS *et al*
Haller B *see* Song Q *et al*
Hannen EJM *et al*. Polymorphous low grade adenocarcinoma with distant metastases and deletions on chromosome 6q23–qter and 11q23–qter: a case report, **942**
Harano T *see* Moriwaki Y *et al*
Haraoka M *see* Tanaka M *et al*
Harney JMV *see* Pearce I *et al*
Haroske G *see* Kayser K *et al*
Harris A *see* Savige J *et al*
Harris AL *see* Sivridis E *et al*
Harris G *et al*. Comparison of three isolation systems for the culture of mycobacteria from respiratory and non-respiratory samples, **615**
Harris J *see* Feeley KM *et al*
Harrison B *see* Mayall F *et al*
Hartley P *see* Engel M *et al*
Hartshorn KL *see* Engelich G *et al*
Heatley M *see* Bradburn S and Heatley M
Heatley MK. An assessment of the artefacts introduced by mounting two parallel sections from each histological level of cervical punch biopsies.: *letter*, **85**
Helbert M *see* Smith PR *et al*
Helbert M, Breuer J. Monitoring patients with HIV disease, **266**
Helbert M *et al*. Pathological investigation of deaths following surgery, anaesthesia, and medical procedures: *letter*, **565**
Helliwell TR. Guidelines for the laboratory handling of laryngectomy specimens, **171**
Hirayasu T *see* Miyagi J *et al*
Hiroi M *see* Nakayama H *et al*
Hobbs FDR *see* Fitzmaurice DA *et al*
Holbrook I *see* Howard MR *et al*
Holder RL *see* Fitzmaurice DA *et al*
Holmes J *see* Kua H *et al*
Holton J *see* Shetty N *et al*
Holzel H *see* van Diest PJ and Holzel H
Holzel H. Microbiology: *editorial*, **3**
Holzel H, van Diest PJ. The New Millennium: time for a change!: *editorial*, **1**
Honkoop P *see* Borg FT *et al*
Hopwood P, Crawford DH. The role of EBV in post-transplant malignancies: a review: *leader*, **248**
Hosie KB *see* van Wyk Q *et al*
Howard MR *et al*. Artefactual serum hyperkalaemia and hypercalcaemia in essential thrombocythaemia, **105**
Howe D *see* Smith PR *et al*
Ho-Yen DO *see* Ashburn D *et al*
Hughes M *see* Douglas-Jones AG *et al*
Hull DR *et al*. Histiocytic lymphoma presenting as a testicular tumour and terminating in acute monoblastic leukaemia, **788**
Husain A *see* Blessing K *et al*
Hutchison A *see* Johnson JS *et al*
Hynan L *see* Wang S *et al*

Ibrahim NBN. Guidelines for handling oesophageal biopsies and resection specimens and their reporting: *leader*, **89**
Iijima T *see* Shitoh K *et al*
Indira HS *see* Kaur A *et al*
Ingram CF, Lewis SM. Clinical use of WHO haemoglobin colour scale: validation and critique, **933**
Irwin ST *see* McCluggage WG *et al*
Ismail SM *see* Lewis JP and Ismail SM
Isotalo PA *et al*. Polymicrobial tenosynovitis with *Pasteurella multocida* and other Gram negative bacilli after a Siberian tiger bite, **871**
Iwamasa T *see* Miyagi J *et al*
Iwamoto A *see* Yoshida S *et al*

Jain NK *see* Singh KK *et al*
James PA, Al-Shafi KM. Clinical value of anaerobic blood culture: a retrospective analysis of positive patient episodes, **231**
Jarvis C *see* Shoker BS *et al*
Jasani B *see* Rhodes A *et al*
see Rhodes A *et al*
see Rhodes A *et al*
Jeffrey MJ *see* Poller DN *et al*
Jeffrey RR *see* Edwards SL *et al*
Johnson EM *see* Williamson ECM *et al*
Johnson JS *et al*. Small intestinal infarction: a fatal complication of systemic oxalosis, **720**
Johnson K *see* Winchester C *et al*
Johnson P *see* Roddie P *et al*
Johnson PJ *see* Zhong S *et al*
Johnston J *et al*. Unlinked anonymous HIV study of hospital patients and general practice attenders in Glasgow, 1991–1997, **117**
Johnston SL *et al*. Type 1 diabetes mellitus masking primary antibody deficiency, **236**
Jolly M, Robinson S. The causes and effects of fetal macrosomia in mothers with type 1 diabetes: *editorial*, **889**
Jones AM, Gaspar HB. Immunogenetics: changing the face of immunodeficiency, **60**
Jones DEJ. Autoantigens in primary biliary cirrhosis: *leader*, **813**
Jones EA *see* Borg FT *et al*
Joss AWL *see* Ashburn D *et al*

Kahn L *see* Tao J *et al*
Kain R *see* Mazal PR *et al*
Kamada K *see* Ban S *et al*
Kapila K *see* Singh KK *et al*
Kato T *see* Yakushiji T *et al*
Kaur A *et al*. Multifocal aggressive angiomyxoma: a case report, **798**
Kayser K *et al*. Routine DNA cytometry of benign and malignant pleural effusions by means of the remote quantitation server Euroquant: a prospective study, **760**
Kearns AM *et al*. Epidemiology and molecular typing of an outbreak of tuberculosis in a hostel for homeless men, **122**
Kennedy MM *see* Blessing K *et al*
Kerr KM *see* Edwards SL *et al*
Kilpatrick ES. Glycated haemoglobin in the year 2000: *leader*, **335**
Kinjo T *see* Miyagi J *et al*
Kirk AJB *see* Roberts F *et al*
Kirk SJ *see* McCluggage WG and Kirk SJ
Kirkham N. The pathologist in the 21st century—generalist or specialist?, **7**

Kitching PA *see* Douglas-Jones AG *et al*
Kleivan I *see* Ørbo A *et al*
Kobayashi K *see* Yoshino T *et al*
Koh MBC *see* Lowdell MW and Koh MBC
Kondo E *see* Yoshino T *et al*
Konishi F *see* Shitoh K *et al*
Koukourakis MI *see* Sivridis E *et al*
Kratzik C *see* Mazal PR *et al*
Kua H *et al*. Calibre persistent artery of the lip: an underdiagnosed entity?: *letter*, **885**
Kumar A *see* Singh KK *et al*
Kumar SN *see* Blewitt RW *et al*
Kunze KD *see* Kayser K *et al*
Kuroda N *see* Nakayama H *et al*

Lagrand WK *see* Morré SA *et al*
see Niessen HWM *et al*
Lai LC *see* Erbas H and Lai LC
Lamonby S *see* MacDowall JEM *et al*
Leadbeatter S *see* Drayton J *et al*
Leake R *see* Nicholson RI and Leake R
Leake R *et al*. Immunohistochemical detection of steroid receptors in breast cancer: a working protocol, **634**
Lee EY *see* Chang CL *et al*
Lee JA *see* Burton JL *et al*
Leentvaar-Kuijpers A *see* Borg FT *et al*
Leng B *see* Blanco P *et al*
Leo O *see* Pajak B *et al*
Leonard N *et al*. A technique for the evaluation of failed fallopian tube ligation with metal clips, **400**
Leoncini F *see* Dionisio D *et al*
Levine DF *see* Manser MD *et al*
Lewis JP, Ismail SM. Re: Gynaecological effects of tamoxifen: *letter*, **484**
Lewis SM *see* Ingram CF and Lewis SM
Liang QL *see* Penman ID *et al*
Liljeström M *see* Maury CPJ *et al*
Lloyd J, Flanagan AM. Mammary and extramammary Paget's disease: *leader*, **742**
Lo YMD *see* Zhong S *et al*
Longman RJ *et al*. Lack of mucin MUC5AC field change expression associated with tubulovillous and villous colorectal adenomas, **100**
Longmire W *see* Woods RS *et al*
Lopez-Beltran A *see* Montironi R *et al*
Loukidi B *see* Merzouk H *et al*
Lowdell MW, Koh MBC. Immunotherapy of AML: future directions, **49**
Lunt LG *see* Cowan WK *et al*
Lynas J *see* Crook MA *et al*
Lynch DAF *see* MacDowall JEM *et al*
Lyness RW *see* Hull DR *et al*
Lysne S *see* Ørbo A *et al*

McCaughey C *see* Madeley CR *et al*
McCaughey C *et al*. Rationalised virological electron microscope specimen testing policy: *letter*, **163**
McClelland HR *see* McCluggage WG *et al*
McCluggage WG *see* Maxwell P and McCluggage WG
McCluggage WG. Recent advances in immunohistochemistry in the diagnosis of ovarian neoplasms: *leader*, **327**
McCluggage WG, Kirk SJ. Pregnancy associated endometriosis with pronounced stromal myxoid change, **241**
McCluggage WG, Weir PE. Paraovarian cystic endosalpingiosis in association with tamoxifen therapy, **161**
McCluggage WG, White RG. Angiomyofibroblastoma of the vagina: *letter*, **803**
McCluggage WG *et al*. Aggressive angiomyxoma of pelvic parts exhibits oestrogen and progesterone receptor positivity, **603**
Massive abdominal and pelvic myxoma in Carney's syndrome, **558**
Mac Dowall JE *et al*. Cell proliferation in type C gastritis affecting the intact stomach, **784**
McGoogan E *see* Al-Nafussi A *et al*
Machin SJ *see* Allford SL and Machin SJ
McKean ME *see* Edwards SL *et al*
McKee G *see* Zaitoun AM *et al*
McLaughlin JE *see* Mattes FM *et al*
McLellan DR *see* Behan WMH *et al*
MacLeod T *see* Winchester C *et al*
McMahon RFT *see* Pearce I *et al*
Madani S *see* Merzouk H *et al*
Madeley CR *et al*. Rationalised virological electron microscope specimen testing policy: *letter*, **722**
Madigan M *see* Behan WMH *et al*
Maes B *et al*. Evaluation of B cell lymphoid infiltrates in bone marrow biopsies by morphology, immunohistochemistry, and molecular analysis, **835**
Magee JG *see* Kearns AM *et al*
Mahadeva U *et al*. Haemophagocytic syndrome and histiocytic necrotising lymphadenitis (Kikuchi's disease), **636**
Makhija PS *see* Kaur A *et al*
Malcolm AJ *see* Leonard N *et al*
Maldonado-López R *see* Pajak B *et al*
Mallon E *see* Ellis IO *et al*
Mannami T *see* Yoshino T *et al*
Manneschi LI *see* Dionisio D *et al*
Mano MP *see* Arisio R *et al*
Manser MD *et al*. Colorectal cancer registration: the central importance of pathology, **875**
Mao JH *see* Paxton JR *et al*
Mapstone NP *see* Misbah SA and Mapstone NP
Markey GM *see* Hull DR *et al*
Markidou S *see* Papadhimitriou SI *et al*
Marks DI *see* Williamson ECM *et al*
Marshall C *see* Kearns AM *et al*
Mathers ME, O'Donnell M. Squamous cell carcinoma of skin with a rhabdoid phenotype: a case report, **868**
Matias-Guiu X *see* Gras E *et al*
Mattes FM *et al*. Histopathological detection of owl's eye inclusions is still specific for cytomegalovirus in the era of human herpesviruses 6 and 7, **612**
Maury CPJ *et al*. Danish type gelsolin related amyloidosis: 654G-T mutation is associated with a disease pathogenetically and clinically similar to that caused by the 654G-A mutation (familial amyloidosis of the Finnish type), **95**
Mawhinney WHB *see* Leonard N *et al*
Maxwell P *see* McCluggage WG *et al*
Maxwell P, McCluggage WG. Audit and internal quality control in immunohistochemistry, **929**
Mayall F *et al*. Immunoflow cytometry and cell block immunohistochemistry in the FNA diagnosis of lymphoma: a review of 73 consecutive cases, **451**
Mazal PR *et al*. Capillary haemangioma of the testis, **641**
Mazzucchelli R *see* Montironi R *et al*
Meijer A *et al*. *Chlamydia pneumoniae* antigens, rather than viable bacteria, persist in atherosclerotic lesions, **911**
Chlamydia pneumoniae in vitro and in vivo: a critical evaluation of in situ detection methods, **904**
Meijer CJLM *see* Berge RLT *et al*
see Niessen HWM *et al*
Meijer CJLM *see* Rozendaal L *et al*
Meijer CJLM, Walboomers JMM. Cervical cytology after 2000: where to go?, **41**
Mendall MA *see* Ballam LD *et al*
Merzouk H *et al*. Fetal macrosomia related to maternal poorly controlled type 1 diabetes strongly impairs serum lipoprotein concentrations and composition, **917**
Meulenberg YF *see* Meijer A *et al*
Meyer W *see* Kayser K *et al*
Mikhailidis DP *see* Milionis HJ *et al*
Milionis HJ *et al*. Lipoprotein (a) and stroke: *leader*, **487**
Miller K *see* Leake R *et al*
Miller KD *see* Rhodes A *et al*
see Rhodes A *et al*
see Rhodes A *et al*
Milne T *see* Smith PR *et al*
Milroy CM, Forrest ARW. Methadone deaths: a toxicological analysis, **277**
Misbah SA, Mapstone NP. Whipple's disease revisited: *leader*, **750**
Mitsuki N *see* Ban S *et al*
Miyagi J *et al*. Recent striking changes in histological differentiation and rate of human papillomavirus infection in squamous cell carcinoma of the lung in Okinawa, a subtropical island in southern Japan, **676**
Miyaki M *see* Shitoh K *et al*
Miyazaki E *see* Nakayama H *et al*
Mizuno M *see* Yoshino T *et al*
Moayyedi P *see* Rotimi O *et al*
Montironi R *et al*. Morphological identification of the patterns of prostatic intraepithelial neoplasia and their importance: *leader*, **655**
Moor ACE *see* van den Besselaar AMHP and Moor ACE
More IAR *see* Roberts F *et al*
Morgan DR *et al*. Small bowel haemangioma with local lymph node involvement presenting as intussusception, **552**
Morgan JM *see* Douglas-Jones AG *et al*
Morgan-Capner P *see* Madeley CR *et al*
see McCaughey C *et al*
Morgenstern S *see* Feinmesser M *et al*
Moriwaki Y *et al*. Abnormal haemoglobins, Hb Takamatsu and Hb G-Szuhu, detected during the analysis of glycated haemoglobin (HbA_{1C}) by high performance liquid chromatography, **854**
Morré SA *et al*. Microorganisms in the aetiology of atherosclerosis: *leader*, **647**
Morris J *see* Ballam LD *et al*
Morris TCM *see* Hull DR *et al*
Moser M *see* Pajak B *et al*
Moulin V *see* Pajak B *et al*
Munakata A *see* Yoshimura T *et al*
Munro C *see* Shoker BS *et al*
Muralidhar M *see* Singh KK *et al*
Murphy PT. Thrombophilia testing: *letter*, **803**
Murray ET *see* Fitzmaurice DA *et al*

Mylankal K *see* Morgan DR *et al*

Nagai H *see* Shitoh K *et al*
Naito S *see* Tanaka M *et al*
Nakayama H *see* Tanaka M *et al*
Nakayama H *et al*. Differential expression of CD34 in normal colorectal tissue, peritumoral inflammatory tissue, and tumour stroma, **626**
Nandini CL *see* Stewart CJR *et al*
Naruse K *see* Nakayama H *et al*
Nava A *see* Calabrese F *et al*
Neeson P *see* Savige J *et al*
Neil J *see* Wong RCW *et al*
Nesland JM *see* Risberg B *et al*
Ng MCY *see* Zhong S *et al*
Nicholson RI, Leake R. Quality control for the immunohistochemical demonstration of oestrogen and progesterone receptors: *editorial*, **247**
Niessen HWM *see* Morré SA *et al*
Niessen HWM *et al*. Apolipoprotein H, a new mediator in the inflammatory changes ensuing in jeopardised human myocardium, **863**
Nishida K *see* Yakushiji T *et al*
Norton AJ *see* Bates AW *et al*
Nurmiaho-Lassila E-L *see* Maury CPJ *et al*
Nuttall PA *see* Barbara J *et al*

O'Brien C *see* Douglas-Jones AG *et al*
O'Donnell M *see* Mathers ME and O'Donnell M
Okada H *see* Yoshino T *et al*
Okon E *see* Feinmesser M *et al*
O'Leary D *see* Longman RJ *et al*
Oliver DA *see* Williamson ECM *et al*
Omonishi K *see* Yoshino T *et al*
O'Neill HJ *see* Madeley CR *et al*
see McCaughey C *et al*
Oosting J *see* Borg FT *et al*

Ørbo A *et al*. Computerised morphometrical analysis in endometrial hyperplasia for the prediction of cancer development. A long term retrospective study from northern Norway, **697**

O'Reilly DSJ *see* Gaffney D *et al*
Orsi A *see* Dionisio D *et al*
Ortiz-Hidalgo C. Dihydrate birefringent calcium oxalate or Weddellite calcification: *letter*, **84**
Ossenkoppele G-J *see* Berge RLT *et al*
Ossewaarde JM *see* Meijer A *et al*
see Meijer A *et al*
Oudejans JJ *see* Berge RLT *et al*

Padmashree V *see* Kaur A *et al*
Pajak B *et al*. Immunohistowax processing, a new fixation and embedding method for light microscopy, which preserves antigen immunoreactivity and morphological structures: visualisation of dendritic cells in peripheral organs, **518**
Pallesen G *see* Engel M *et al*
Palmer MF, Zochowski WJ. Survival of leptospires in commercial blood culture systems revisited, **713**
Pamio M *see* Paspaliaris B *et al*
Papadhimitriou SI *et al*. Evaluation of argyrophilic nucleolar organiser regions (AgNORs) in multiple myeloma, **462**
Papucci A *see* Dionisio D *et al*
Park SK *see* Chang CL *et al*
Parrott NR *see* Johnson JS *et al*
Paspaliaris B *et al*. Indirect immunofluorescence (IIF) of normal washed peripheral blood cells to demonstrate antineutrophil cytoplasmic antibodies (ANCA), **774**
Pasquier B *see* Péoc'h M *et al*
Patterson A *see* McCluggage WG *et al*
Paule B *et al*. The importance of IL-6 protein expression in primary human renal cell carcinoma: an immunohistochemical study, **388**
Paxton JR *et al*. Apoptosis in cervical squamous carcinoma: predictive value for survival following radiotherapy, **197**
Pearce I *et al*. Synchronous presentation of primary renal adenocarcinoma and contralateral ureteric metastasis, **639**
Peeters B *see* Maes B *et al*
Pellegrin J-L *see* Blanco P *et al*
Penman ID *et al*. Dietary calcium supplementation increases apoptosis in the distal murine colonic epithelium, **302**
Péoc'h M *et al*. Silicone lymphadenopathy mimicking a lymphoma in a patient with a metatarsophalangeal joint prosthesis, **549**
Perry S *see* Danielsson D *et al*
Phan TG *see* Williams A *et al*
Pheby DFH *see* Manser MD *et al*
Phillips D *et al*. Exercise induced mobilisation of the marginated granulocyte pool in the investigation of ethnic neutropenia, **481**
Phillips DI *see* Byrne CD and Phillips DI
Pinder S *see* Leake R *et al*
Pitcher RW *see* Manser MD *et al*
Pitt TL, Saunders NA. Molecular bacteriology: a diagnostic tool for the millennium, **71**

Poller DN *see* Baldwin LJ and Poller DN
Poller DN *et al*. The importance of skip lesions in temporal arteritis, **137**
Pollock W *see* Savige J *et al*
see Williams A *et al*
Powell L *see* Wong RCW *et al*
Prat J *see* Gras E *et al*
Preiser W *et al*. Quantitative molecular virology in patient management, **76**
Prescott R *see* MacDowall JEM *et al*
Prost J *see* Merzouk H *et al*
Prytz PS *see* Ørbo A *et al*
Pulford K *see* Berge RLT *et al*
Pumphrey RSH, Roberts ISD. Postmortem findings after fatal anaphylactic reactions, **273**
Purcell T *see* Drayton J *et al*

Raffeld M *see* Fend F and Raffeld M
Ramchatesingh J *see* El-Zimaity HMT *et al*
Rasch MC *see* Borg FT *et al*
Rashid AM *see* Douglas-Jones AG *et al*
Rautelin H *see* Danielsson D *et al*
Rayner A *see* Harris G *et al*
Read SJ *et al*. Molecular techniques for clinical diagnostic virology: *leader*, **502**
Rebello G *see* Al-Nafussi A *et al*
Reid MM. Aberrant CD10 expression by NHL: *letter*, **723**
Haematology: *editorial*, **4**
Reid RP *see* Roberts F *et al*
Rensink HJAM *see* Niessen HWM *et al*
Reynolds TM. Down's syndrome screening: a controversial test, with more controversy to come!: *leader*, **893**
Rezvani K *see* Phillips D *et al*
Rhodes A *et al*. Frequency of oestrogen and progesterone receptor positivity by immunohistochemical analysis in 7016 breast carcinomas: correlation with patient age, assay sensitivity, threshold value, and mammographic screening, **688**
Immunohistochemical demonstration of oestrogen and progesterone receptors: correlation of standards achieved on 'in house' tumours with that achieved on external quality assessment material in over 150 laboratories from 26 countries, **292**
Reliability of immunohistochemical demonstration of oestrogen receptors in routine practice: interlaboratory variance in the sensitivity of detection and evaluation of scoring systems, **125**
Rhodes T *see* Leake R *et al*
Richmond I *see* Cherian MA and Richmond I
Richmond JA *see* Stewart CJR *et al*
Risberg B *et al*. Flow cytometric immunophenotyping of serous effusions and peritoneal washings: comparison with immunocytochemistry and morphological findings, **513**
Rivel J *see* Blanco P *et al*
Risse EKJ *see* Rozendaal L *et al*
Roberts C *see* Edwards SL *et al*
Roberts F *et al*. Oesophageal rhabdomyoma, **554**
Roberts ISD *see* Johnson JS *et al*
see Pumphrey RSH and Roberts ISD
Roberts ISD, Brenchley PEC. Mast cells: the forgotten cells of renal fibrosis, **858**
Roberts ISD *et al*. What is a natural cause of death? A survey of how coroners in England and Wales approach borderline cases, **367**
When should a coroner's inquest be held? The Manchester guidelines for pathologists: *leader*, **340**
Robertson S *see* Winchester C *et al*
Robinson D *see* Helbert M *et al*
Robinson S *see* Jolly M and Robinson S
Roddie P *et al*. Myelomatous involvement of the dura mater: a rare complication of multiple myeloma, **398**
Roholl PJM *see* Meijer A *et al*
see Meijer A *et al*
Rose PE *see* Fitzmaurice DA *et al*
Rotimi O *et al*. Histological identification of *Helicobacter pylori*: comparison of staining methods, **756**
Rozendaal L *et al*. PCR based high risk HPV testing is superior to neural network based screening for predicting incident CIN III in women with normal cytology and borderline changes, **606**
Rubio CA. Qualitative and quantitative differences between bile ducts in chronic hepatitis and in primary biliary cirrhosis, **765**
Rudant C *see* Paule B *et al*
Ruijter ET *see* van Leenders GJLH *et al*
Rutty GN *see* Batman P *et al*

Saboorian MH *see* Wang S *et al*
Sagiyama K *see* Tanaka M *et al*
Sanders DSA *see* Blessing K *et al*
Sapino A *see* Arisio R *et al*
Sasaki Y *see* Yoshimura T *et al*
Sato N *see* Yoshida S *et al*
Saunders NA *see* Pitt TL and Saunders NA
Savige J *see* Paspaliaris B *et al*
Savige J *et al*. ELISA is the superior method for detecting antineutrophil cytoplasmic antibodies in the diagnosis of systemic necrotising vasculitis: *letter*, **644**

Schwarzschild M *see* de Sousa SOM *et al*
Scott GM *see* Shetty N *et al*
Screening JMMWNB *see* Rozendaal L *et al*
Sefton AM. Medical education, in particular the role of the MSc in medical microbiology: *editorial*, **567**
Sen RA *see* Armstrong GR *et al*
Sharma SK *see* Singh KK *et al*
Shelton Jr JB, Frank IN. Splenic B cell lymphoma with lymphocyte clusters in peripheral blood smears, **228**
Shemko M *see* Shetty N *et al*
Shetty N *et al.* Is the detection of *Mycobacterium tuberculosis* DNA by ligase chain reaction worth the cost: experiences from an inner London teaching hospital, **924**
Shibata T *see* Ban S *et al*
Shibutani Y *see* Moriwaki Y *et al*
Shih L-Y *et al.* Simultaneous occurrence of multiple aetiologies of polycythaemia: renal cell carcinoma, sleep apnoea syndrome, and relative polycythaemia in a smoker with masked polycythaemia rubra vera, **561**
Shimizu Y *see* Ban S *et al*
Shimoyama T *see* Yoshimura T *et al*
Shitoh K *et al.* Pathogenesis of non-familial colorectal carcinomas with high microsatellite instability, **841**
Shoker BS *et al.* Abnormal regulation of the oestrogen receptor in benign breast lesions, **778**
Short AK *see* Johnson JS *et al*
Sibson DR *see* Shoker BS *et al*
Silvestrini RA *see* Wong RCW *et al*
Simpson AJH, Wuthiekanun V. Interaction of insulin with *Burkholderia pseudomallei* may be caused by a preservative, **159**
Sinclair-Smith C *see* Engel M *et al*
Singh KK *et al.* Comparison of in house polymerase chain reaction with conventional techniques for the detection of *Mycobacterium tuberculosis* DNA in granulomatous lymphadenopathy, **355**
Singh MK *see* Singh KK *et al*
Sinnott P *see* Smith PR *et al*
Sivridis E *et al.* Thymidine phosphorylase expression in normal and hyperplastic endometrium, **704**
Slappendel A *see* Ørbo A *et al*
Sloane JP *see* Shoker BS *et al*
Smellie WSA *see* Woods RS *et al*
Smellie WSA *et al.* Benchmarking general practice use of pathology services: a model for monitoring change, **476**
Smith PR *et al.* Benign monoclonal expansion of CD8+ lymphocytes in HIV infection, **177**
Smyth W *see* Johnston J *et al*
Sokol RJ *see* Barbara J *et al*
Soldan K *see* Dawson S *et al*
Son HC *see* Chang CL *et al*
Song Q *et al.* Quantitation of *Helicobacter pylori* in dental plaque samples by competitive polymerase chain reaction, **218**
Spencer J *see* Su W *et al*
Spickett GP. Giant cell arteritis at the millennium: *editorial*, **5**
Spitz B *see* Donders GGG *et al*
Stamatelou M *see* Papadhimitriou SI *et al*
Stanley D *see* Mayall F *et al*
Start RD *see* Barker THW *et al*
see Helbert M *et al*
Stern S *see* Feinmesser M *et al*
Steward M *see* Kearns AM *et al*
Stewart CJR *et al.* Value of A103 (melan-A) immunostaining in the differential diagnosis of ovarian sex cord stromal tumours, **206**
Stewart M *see* Johnston J *et al*
Stock D *see* Douglas-Jones AG *et al*
Stooker W *see* Morré SA *et al*
Strachan DP *see* Ballam LD *et al*
Su W *et al.* Immunohistochemical analysis of human CD5 positive B cells: mantle cells and mantle cell lymphoma are not equivalent in terms of CD5 expression, **395**
Sulkes A *see* Feinmesser M *et al*
Sulkes J *see* Feinmesser M *et al*
Susani M *see* Mazal PR *et al*
Suvarna SK *see* Feeley KM *et al*
Swaminathan R, Wheeler M. Robotics into the millennium, **22**
Swan N *see* Engelich G *et al*
Sylvester PA *see* Longman RJ *et al*
Symonds RP *see* Paxton JR *et al*

Takagi K *see* Yakushiji T *et al*
Takahama M *see* Ban S *et al*
Takahashi S *see* Moriwaki Y *et al*
Tanaka M *see* Yoshimura T *et al*
Tanaka M *et al.* Evaluation of a new amplified enzyme immunoassay (EIA) for the detection of *Chlamydia trachomatis* in male urine, female endocervical swab, and patient obtained vaginal swab specimens, **350**
Tani A *see* Dionisio D *et al*
Tao J *et al.* Congenital acute T lymphoblastic leukaemia: report of a case with immunohistochemical and molecular characterisation, **150**
ten Berge RL *et al.* ALK expression in extranodal anaplastic large cell lymphoma favours systemic disease with (primary) nodal involvement and a good prognosis and occurs before dissemination, **445**
ter Borg F *et al.* A survey of liver pathology in needle biopsies from HBsAg and anti-HBe positive individuals, **541**
ten Kate FJW *see* Borg FT *et al*
Thiene G *see* Calabrese F *et al*
Thomas M *see* Winchester C *et al*
Thomas MG *see* Longman RJ *et al*
Thomas SM *see* Zaitoun AM *et al*
Thomsen JL. The role of the pathologist in human rights abuses: *leader*, **569**
Thomson JR, Trembath RC. Primary pulmonary hypertension: the pressure rises for a gene: *leader*, **899**
Thornton CM *see* McCluggage WG *et al*
Tichelaar HJ *see* Ørbo A *et al*
Timperley WR. Neuropathology, **255**
Toh B-H *see* Williams A *et al*
Törnroth T *see* Maury CPJ *et al*
Toye B *see* Isotalo PA *et al*
Trembath RC *see* Thomson JR and Trembath RC
Trevisin M *see* Savige J *et al*
Tsaftaridis P *see* Papadhimitriou SI *et al*
Tsuhako K *see* Miyagi J *et al*
Tsukamoto T *see* Shitoh K *et al*
Tsuruta J *see* Yakushiji T *et al*
Tuğyan N *see* Üstün MÖ *et al*
Tunakan M *see* Üstün MÖ *et al*
Tyagi JS *see* Singh KK *et al*
Tytgat GNJ *see* Borg FT *et al*

Ulrich D *see* Song Q *et al*
Unsworth DJ *see* Johnston SL *et al*
Urbain J *see* Pajak B *et al*
Üstün MÖ *et al.* Coexistence of an endocrine tumour in a serous cystadenoma (microcystic adenoma) of the pancreas, an unusual association, **800**

Vadas M *see* Savige J *et al*
Valderrama E *see* Tao J *et al*
Valente M *see* Calabrese F *et al*
Vallikad E *see* Kaur A *et al*
van Bulck B *see* Donders GGG *et al*
van de Kaa CA *see* van Leenders GJLH *et al*
van den Besselaar AMHP, Moor ACE. Photodynamic treatment of pooled coumarin plasma for external quality assessment of the prothrombin time, **470**
van den Brule AJC *see* Morré SA *et al*
van der Brink C *see* Williams A *et al*
van der Linden JC *see* Rozendaal L *et al*
van der Valk P *see* van Doorn HC *et al*
van Diest PJ *see* Holzel H and van Diest PJ
van Diest PJ. On "Familial intestinal polyposis" by C E Dukes: *editorial*, **4**
van Diest PJ, Holzel H. The *Journal of Clinical Pathology* goes online (http://www.jclinpath.com)!: *editorial*, **887**
van Doorn HC *et al.* Oestrogen, progesterone, and androgen receptors in ovarian neoplasia: correlation between immunohistochemical and biochemical receptor analyses, **201**
Vanezis P *see* Drayton J *et al*
van Hattum J *see* Borg FT *et al*
van Leenders GJLH *et al.* Histopathological changes associated with high intensity focused ultrasound (HIFU) treatment for localised adenocarcinoma of the prostate, **391**
Vansanten G *see* Pajak B *et al*
van Wyk Q *see* Poller DN *et al*
van Wyk Q *et al.* Histopathological detection of lymph node metastases from colorectal carcinoma, **685**
Vereecken A *see* Donders GGG *et al*
Verghese A *see* Douglas-Jones AG *et al*
Verghese VJ *see* El-Zimaity HMT *et al*
Verhoef G *see* Maes B *et al*
Viallard J-F *see* Blanco P *et al*
Virgo PF *see* Johnston SL *et al*

Wade A. Fear or favour? Statistics in pathology, **16**
Waghorn DJ *see* Chart H *et al*
Wagner TOF *see* Frye M *et al*
Walboomers JMM *see* Meijer CJLM and Walboomers JMM
Walker ID. Thrombophilia in pregnancy: *leader*, **573**
Walker R *see* Ellis IO *et al*
Walker R *see* Leake R *et al*
Wallis JP. Is it time to give up the crossmatch?: *leader*, **673**
Wallwork J *see* Goddard MJ *et al*
Walsh MY *see* McCluggage WG *et al*
Wandroo FA *et al.* Chronic myeloid leukaemia occurring in a patient with hairy cell leukaemia, **940**
Wang M-L *see* Shih L-Y *et al*

Wang S *et al*. Laboratory assessment of the status of Her-2/neu protein and oncogene in breast cancer specimens: comparison of immunohistochemistry assay with fluorescence in situ hybridisation assays, **374**
Warnock DW *see* Williamson ECM *et al*
Warren BF *see* Longman RJ *et al*
Warwick R *see* Barbara J *et al*
Watt B *see* Harris G *et al*
Watterson SA, Drobniewski FA. Modern laboratory diagnosis of mycobacterial infections: *leader*, **727**
Weber A *see* Frye M *et al*
Weir PE *see* McCluggage WG and Weir PE
Wertheim-van Dillen PM *see* Borg FT *et al*
Westerga J *see* Rozendaal L *et al*
Wheeler M *see* Swaminathan R and Wheeler M
Whincup PH *see* Ballam LD *et al*
White LO. UK NEQAS in antibiotic assays: *leader*, **829**
White RG *see* McCluggage WG and White RG
Wichelhaus A *see* Song Q *et al*
Wienk SM *see* Hannen EJM *et al*
Wilkes SJ *see* Smith PR *et al*
Wilkinson J *see* Armstrong GR *et al*
Willemze R *see* Berge RLT *et al*
Williams A *et al*. Comparing substrates for the detection of ANAs: *letter*, **565**
Williams DW *see* Douglas-Jones AG *et al*
Williams GT *see* Burroughs SH and Williams GT
Williams NW *see* Douglas-Jones AG *et al*
Williams S *see* Douglas-Jones AG *et al*
Williamson ECM *et al*. Aspergillus antigen testing in bone marrow transplant recipients, **362**
Willis P *see* MacDowall JEM *et al*
Wilson POG *see* Zaitoun AM *et al*
Wilson R *see* Wong RCW *et al*
Winchester C *et al*. Expression of a homeobox gene (SIX5) in borderline ovarian tumours, **212**
Winder AF *see* Milionis HJ *et al*
Wong RCW *et al*. M2-AMA do not directly produce ANCA indirect immunofluorescence patterns: *letter*, **643**
Woods RS *et al*. Development of a competency based training programme to support multidisciplinary working in a combined biochemistry/haematology laboratory, **401**
Wray R *see* Crook MA *et al*
Wuthiekanun V *see* Simpson AJH and Wuthiekanun V
Wyatt DE *see* Madeley CR *et al*
see McCaughey C *et al*

Yakushiji T *et al*. Capacity for epithelial differentiation in synovial sarcoma: analysis of a new human cell line, **525**
Yamadori I *see* Yoshino T *et al*
Yamamoto T *see* Moriwaki Y *et al*
Yee L *see* Abdulla A and Yee L
Yeong KF *see* Su W *et al*
Yonemura K *see* Yakushiji T *et al*
Yoshida H *see* Tanaka M *et al*
Yoshida S *et al*. Some problems found in HIV-1 RNA quantification: *letter*, **645**
Yoshimura T *et al*. Gastric mucosal inflammation and epithelial cell turnover are associated with gastric cancer in patients with *Helicobacter pylori* infection, **532**
Yoshino T *et al*. Clinicopathological features of gastric mucosa associated lymphoid tissue (MALT) lymphomas: high grade transformation and comparison with diffuse large B cell lymphomas without MALT lymphoma features, **187**
Yukawa N *see* Batman P *et al*
Yusa N *see* Yoshida S *et al*

Zaitoun AM *et al*. Completeness of excision and follow up cytology in patients treated with loop excision biopsy, **191**
Zhong S *et al*. Presence of mitochondrial tRNA $^{Leu(UUR)}$ A to G 3243 mutation in DNA extracted from serum and plasma of patients with type 2 diabetes mellitus, **466**
Zochowski WJ *see* Palmer MF and Zochowski WJ

VOLUME 53 • SUBJECT INDEX

A103, Value of A103 (melan-A) immunostaining in the differential diagnosis of ovarian sex cord stromal tumours, **206**

abdomen, Massive abdominal and pelvic myxoma in Carney's syndrome, **558**

abnormal haemoglobin, Abnormal haemoglobins, Hb Takamatsu and Hb G-Szuhu, detected during the analysis of glycated haemoglobin (HbA_{1c}) by high performance liquid chromatography, **854**

accuracy of classification, Preoperative histological classification of primary lung cancer: accuracy of diagnosis and use of the non-small cell category, **537**

acute lymphoblastic leukaemia, Chronic myeloid leukaemia occurring in a patient with hairy cell leukaemia, **940**

Therapeutic trials in childhood ALL: what's their future?, **55**

acute monoblastic leukaemia, Histiocytic lymphoma presenting as a testicular tumour and terminating in acute monoblastic leukaemia, **788**

acute renal failure, The clinical spectrum of *Clostridium sordellii* bacteraemia: two case reports and a review of the literature, **709**

adult T cell leukaemia/lymphoma, HTLV-1 infections: *leader*, **581**

aggressive angiomyxoma, Aggressive angiomyxoma of pelvic parts exhibits oestrogen and progesterone receptor positivity, **603**

Angiomyofibroblastoma of the vagina: *letter*, **803**

Multifocal aggressive angiomyxoma: a case report, **798**

aggressive angiomyxoma of female pelvis, Multifocal aggressive angiomyxoma: a case report, **798**

airways, Expression of human α-defensin 5 (HD5) mRNA in nasal and bronchial epithelial cells, **770**

Alzeimer's disease, Neuropathology, **255**

Amplicor™ HIV-1 monitor test kit, Some problems found in HIV-1 RNA quantification: *letter*, **645**

amyloidosis, Danish type gelsolin related amyloidosis: 654G-T mutation is associated with a disease pathogenetically and clinically similar to that caused by the 654G-A mutation (familial amyloidosis of the Finnish type), **95**

anaerobes, Clinical value of anaerobic blood culture: a retrospective analysis of positive patient episodes, **231**

anaesthetics, Pathological investigation of deaths following surgery, anaesthesia, and medical procedures: *letter*, **565**

analytical methodology, Future directions in quantitative pathology: digital knowledge in diagnostic pathology, **31**

anaphylaxis, Pathological investigation of deaths following surgery, anaesthesia, and medical procedures: *letter*, **565**

Postmortem findings after fatal anaphylactic reactions, **273**

anaplastic large cell lymphoma, ALK expression in extranodal anaplastic large cell lymphoma favours systemic disease with (primary) nodal involvement and a good prognosis and occurs before dissemination, **445**

Anaplastic large cell lymphoma: what's in a name?: *editorial*, **407**

anaplastic lymphoma kinase, ALK expression in extranodal anaplastic large cell lymphoma favours systemic disease with (primary) nodal involvement and a good prognosis and occurs before dissemination, **445**

Anaplastic large cell lymphoma: what's in a name?: *editorial*, **407**

aneurysm, Calibre persistent artery of the lip: an underdiagnosed entity?: *letter*, **885**

angiomyofibroblastoma, Angiomyofibroblastoma of the vagina: *letter*, **803**

animal bite, Polymicrobial tenosynovitis with *Pasteurella multocida* and other Gram negative bacilli after a Siberian tiger bite, **871**

animal model, *Chlamydia pneumoniae* in vitro and in vivo: a critical evaluation of in situ detection methods, **904**

anonymous testing, Unlinked anonymous HIV study of hospital patients and general practice attenders in Glasgow, 1991–1997, **117**

antibiotic assays, UK NEQAS in antibiotic assays: *leader*, **829**

antibiotic prescribing, Infection and antimicrobial prescribing control in the new millennium: nightmare or nirvana?, **66**

anticoagulant treatment, A comparison of international normalised ratio (INR) measurement in hospital and general practice settings: evidence for lack of standardisation: *letter*, **803**

anti-DNA antibodies, The use of laboratory tests in the diagnosis of SLE, **419**

anti-hepatitis B antigen e positive, A survey of liver pathology in needle biopsies from HBsAg and anti-HBe positive individuals, **541**

antimicrobial peptides, Expression of human α-defensin 5 (HD5) mRNA in nasal and bronchial epithelial cells, **770**

antimitochondrial antibodies, M2-AMA do not directly produce ANCA indirect immunofluorescence patterns: *letter*, **643**

antineutrophil cytoplasmic antibodies, ELISA is the superior method for detecting antineutrophil cytoplasmic antibodies in the diagnosis of systemic necrotising vasculitis: *letter*, **644**

Indirect immunofluorescence (IIF) of normal washed peripheral blood cells to demonstrate antineutrophil cytoplasmic antibodies (ANCA), **774**

M2-AMA do not directly produce ANCA indirect immunofluorescence patterns: *letter*, **643**

antinuclear antibodies, Comparing substrates for the detection of ANAs: *letter*, **565**

The use of laboratory tests in the diagnosis of SLE, **419**

aortic thrombosis, The clinical spectrum of *Clostridium sordellii* bacteraemia: two case reports and a review of the literature, **709**

apolipoprotein H, Apolipoprotein H, a new mediator in the inflammatory changes ensuing in jeopardised human myocardium, **863**

apolipoproteins, Fetal macrosomia related to maternal poorly controlled type 1 diabetes strongly impairs serum lipoprotein concentrations and composition, **917**

apoptosis, Apoptosis in cervical squamous carcinoma: predictive value for survival following radiotherapy, **197**

Dietary calcium supplementation increases apoptosis in the distal murine colonic epithelium, **302**

Gastric mucosal inflammation and epithelial cell turnover are associated with gastric cancer in patients with *Helicobacter pylori* infection, **532**

appropriateness, Benchmarking general practice use of pathology services: a model for monitoring change, **476**

argyrophilic nucleolar organiser regions, Evaluation of argyrophilic nucleolar organiser regions (AgNORs) in multiple myeloma, **462**

arrhythmogenic right ventricular cardiomyopathy, No detection of enteroviral genome in the myocardium of patients with arrhythmogenic right ventricular cardiomyopathy, **382**

artery, Calibre persistent artery of the lip: an underdiagnosed entity?: *letter*, **885**

aspergillus antigen, Aspergillus antigen testing in bone marrow transplant recipients, **362**

asphyxia, Re: Intra-alveolar haemorrhage in sudden infant death symdrome: a cause for concern?: *letter*, **484**

asthma, Postmortem findings after fatal anaphylactic reactions, **273**

atherosclerosis, *Chlamydia pneumoniae* antigens, rather than viable bacteria, persist in atherosclerotic lesions, **911**

Microorganisms in the aetiology of atherosclerosis: *leader*, **647**

atherosclerotic vascular disease, Fetal origins of adult disease: epidemiology and mechanisms: *leader*, **822**

atherothrombosis, Lipoprotein (a) and stroke: *leader*, **487**

atypical adenomatous hyperplasia, Morphological identification of the patterns of prostatic intraepithelial neoplasia and their importance: *leader*, **655**

audit, Audit and internal quality control in immunohistochemistry, **929**

autoantibodies, Autoantigens in primary biliary cirrhosis: *leader*, **813**

Indirect immunofluorescence (IIF) of normal washed peripheral blood cells to demonstrate antineutrophil cytoplasmic antibodies (ANCA), **774**

autoimmune connective tissue disease, Comparing substrates for the detection of ANAs: *letter*, **565**

autoimmunity, Autoantigens in primary biliary cirrhosis: *leader*, **813**

automated cytology, Cervical cytology after 2000: where to go?, **41**

automated reasoning systems, Future directions in quantitative pathology: digital knowledge in diagnostic pathology, **31**

axillary staging, Axillary staging of breast cancer and the sentinel node: *leader*, **733**

β_2 microglobulin expression, HLA-DR and β_2 microglobulin expression in medullary and atypical medullary carcinoma of the breast: histopathologically similar but biologically distinct entities, **286**

BacT/Alert, Clinical value of anaerobic blood culture: a retrospective analysis of positive patient episodes, **231**

bacteraemia, The clinical spectrum of *Clostridium sordellii* bacteraemia: two case reports and a review of the literature, **709**

Barrett's oesophagus, The gastric cardia in gastro-oesophageal disease, **619**

basal cell adenocarcinoma, Basal cell adenocarcinoma of the palate with squamous metaplasia, **153**

benchmarking, Benchmarking general practice use of pathology services: a model for monitoring change, **476**

benign breast, Abnormal regulation of the oestrogen receptor in benign breast lesions, **778**

Ber-EP4, Flow cytometric immunophenotyping of serous effusions and peritoneal washings: comparison with immunocytochemistry and morphological findings, **513**

Bergeyella zoohelcum, Polymicrobial tenosynovitis with *Pasteurella multocida* and other Gram negative bacilli after a Siberian tiger bite, **871**

bile ducts, Qualitative and quantitative differences between bile ducts in chronic hepatitis and in primary biliary cirrhosis, **765**

biliary, Autoantigens in primary biliary cirrhosis: *leader*, **813**

biochemical analysis, Oestrogen, progesterone, and androgen receptors in ovarian neoplasia: correlation between immunohistochemical and biochemical receptor analyses, **201**
biopsy, An assessment of the artefacts introduced by mounting two parallel sections from each histological level of cervical punch biopsies.: *letter*, **85**
birth weight, Fetal origins of adult disease: epidemiology and mechanisms: *leader*, **822**
bladder, Malignant lymphoma of the urinary bladder: a clinicopathological study of 11 cases, **458**
blood, Survival of leptospires in commercial blood culture systems revisited, **713**
blood culture, Clinical value of anaerobic blood culture: a retrospective analysis of positive patient episodes, **231**
blood transfusion, The risk of infection transmission by blood transfusion in England: *letter*, **85**
bone marrow biopsy, Evaluation of B cell lymphoid infiltrates in bone marrow biopsies by morphology, immunohistochemistry, and molecular analysis, **835**
borderline nuclear abnormality, The borderline cervical smear: colposcopic and biopsy outcome, **439**
brain tumours, Neuropathology, **255**
breast, Consistency in the observation of features used to classify duct carcinoma in situ (DCIS) of the breast, **596**
breast cancer, An investigation of the Peutz-Jeghers gene (LKB1) in sporadic breast and colon cancers, **791**
Axillary staging of breast cancer and the sentinel node: *leader*, **733**
Effect of transforming growth factor β_2 on oestrogen metabolism in the MCF-7 breast cancer cell line, **322**
Immunohistochemical detection of steroid receptors in breast cancer: a working protocol, **634**
Laboratory assessment of the status of Her-2/neu protein and oncogene in breast cancer specimens: comparison of immunohistochemistry assay with fluorescence in situ hybridisation assays, **374**
Re: Gynaecological effects of tamoxifen: *letter*, **484**
Recommendations for HER2 testing in the UK: *leader*, **890**
What modifies the relation between tumour size and lymph node metastases in T1 breast carcinomas?, **846**
breast cancer screening, A study of interval breast cancer within the NHS breast screening programme, **140**
breast cancer quality control, Quality control for the immunohistochemical demonstration of oestrogen and progesterone receptors: *editorial*, **247**
***Burkholderia pseudomallei*,** Interaction of insulin with *Burkholderia pseudomallei* may be caused by a preservative, **159**

cagA, Co-expression in *Helicobacter pylori* of cagA and non-opsonic neutrophil activation enhances the association with peptic ulcer disease, **318**
calcium, Dietary calcium supplementation increases apoptosis in the distal murine colonic epithelium, **302**
calcium oxalate birefringence, Dihydrate birefringent calcium oxalate or Weddellite calcification: *letter*, **84**
cancer, Computerised morphometrical analysis in endometrial hyperplasia for the prediction of cancer development. A long term retrospective study from northern Norway, **697**
cancer associated genes, Pathogenesis of non-familial colorectal carcinomas with high microsatellite instability, **841**
cancer registration, Colorectal cancer registration: the central importance of pathology, **875**
candida, Candidal infection is uncommon in acute oesophagitis: evidence from a non-selected DGH population: *letter*, **84**
carcinosarcoma, Capacity for epithelial differentiation in synovial sarcoma: analysis of a new human cell line, **525**
cardia, The gastric cardia in gastro-oesophageal disease, **619**
cardiovascular disease, Skin tags and the atherogenic lipid profile, **873**
Carney's syndrome, Massive abdominal and pelvic myxoma in Carney's syndrome, **558**
catheterisation, Neonatal thrombosis: *leader*, **428**
CD10 expression, Aberrant CD10 expression by NHL: *letter*, **723**
CD34, Differential expression of CD34 in normal colorectal tissue, peritumoral inflammatory tissue, and tumour stroma, **626**
CD4 count, Monitoring patients with HIV disease, **266**
CD5, Immunohistochemical analysis of human CD5 positive B cells: mantle cells and mantle cell lymphoma are not equivalent in terms of CD5 expression, **395**
CD8+ lymphocytosis, Benign monoclonal expansion of CD8+ lymphocytes in HIV infection, **177**
cell blocks, Immunoflow cytometry and cell block immunohistochemistry in the FNA diagnosis of lymphoma: a review of 73 consecutive cases, **451**
cell culture, Toxoplasma dye test using cell culture derived tachyzoites, **630**
cell line, Capacity for epithelial differentiation in synovial sarcoma: analysis of a new human cell line, **525**
cell proliferation, Cell proliferation in type C gastritis affecting the intact stomach, **784**
Gastric mucosal inflammation and epithelial cell turnover are associated with gastric cancer in patients with *Helicobacter pylori* infection, **532**
centralised facilities, Molecular techniques: divide or share, **19**
cervical cytology, Cervical cytology after 2000: where to go?, **41**
Completeness of excision and follow up cytology in patients treated with loop excision biopsy, **191**
The borderline cervical smear: colposcopic and biopsy outcome, **439**
cervical intraepithelial neoplasia, Cervical cytology after 2000: where to go?, **41**
Completeness of excision and follow up cytology in patients treated with loop excision biopsy, **191**
cervix uteri, An assessment of the artefacts introduced by mounting two parallel sections from each histological level of cervical punch biopsies.: *letter*, **85**
chemical gastritis, Cell proliferation in type C gastritis affecting the intact stomach, **784**
chemical pathology, Chemical pathology: what has changed?: *editorial*, **6**
chemoprevention, Morphological identification of the patterns of prostatic intraepithelial neoplasia and their importance: *leader*, **655**
child abuse, Re: Intra-alveolar haemorrhage in sudden infant death syndrome: a cause for concern?: *letter*, **484**
children, Improved prognosis of Epstein-Barr virus associated childhood Hodgkin's lymphoma: study of 47 South African cases, **182**
Therapeutic trials in childhood ALL: what's their future?, **55**
***Chlamydia pneumoniae*,** Microorganisms in the aetiology of atherosclerosis: *leader*, **647**
Chlamydia pneumoniae antigens, rather than viable bacteria, persist in atherosclerotic lesions, **911**
Chlamydia pneumoniae in vitro and in vivo: a critical evaluation of in situ detection methods, **904**
***Chlamydia trachomatis*,** Molecular techniques for clinical diagnostic virology: *leader*, **502**
Evaluation of a new amplified enzyme immunoassay (EIA) for the detection of *Chlamydia trachomatis* in male urine, female endocervical swab, and patient obtained vaginal swab specimens, **350**
Chlamydiales, *Chlamydia pneumoniae* antigens, rather than viable bacteria, persist in atherosclerotic lesions, **911**
chromosome 2q33, Primary pulmonary hypertension: the pressure rises for a gene: *leader*, **899**
chronic hepatitis B virus infection, A survey of liver pathology in needle biopsies from HBsAg and anti-HBe positive individuals, **541**
chronic myeloid leukaemia, Chronic myeloid leukaemia occurring in a patient with hairy cell leukaemia, **940**
CIN III, PCR based high risk HPV testing is superior to neural network based screening for predicting incident CIN III in women with normal cytology and borderline changes, **606**
circulating and marginated granulocyte pool, Exercise induced mobilisation of the marginated granulocyte pool in the investigation of ethnic neutropenia, **481**
citrate, Toxoplasma dye test using cell culture derived tachyzoites, **630**
classification, Consistency in the observation of features used to classify duct carcinoma in situ (DCIS) of the breast, **596**
clear cell carcinoma, Clear cell carcinoma of the ovary arising in a mucinous cystadenoma, **938**
clinical assessment of anaemia, Clinical use of WHO haemoglobin colour scale: validation and critique, **933**
clinical governance, Benchmarking general practice use of pathology services: a model for monitoring change, **476**
clinical specimens, Evaluation of a new amplified enzyme immunoassay (EIA) for the detection of *Chlamydia trachomatis* in male urine, female endocervical swab, and patient obtained vaginal swab specimens, **350**
clonality, Benign monoclonal expansion of CD8+ lymphocytes in HIV infection, **177**
***Clostridium sordellii*,** The clinical spectrum of *Clostridium sordellii* bacteraemia: two case reports and a review of the literature, **709**
clotting factors, Thrombophilia testing: what do we think the tests mean and what should we do with the results?: *leader*, **167**
CME, Continuous professional development in pathology: a continental view, **10**
colon cancer, An investigation of the Peutz-Jeghers gene (LKB1) in sporadic breast and colon cancers, **791**
colon carcinoma, Differential expression of CD34 in normal colorectal tissue, peritumoral inflammatory tissue, and tumour stroma, **626**
colonic neoplasms, Dietary calcium supplementation increases apoptosis in the distal murine colonic epithelium, **302**
colorectal adenocarcinoma, Phenotypic change of muscularis mucosae in early invasive colorectal adenocarcinoma, **878**
colorectal adenoma, Lack of mucin MUC5AC field change expression associated with tubulovillous and villous colorectal adenomas, **100**
colorectal cancer, Colorectal cancer registration: the central importance of pathology, **875**
Examination of large intestine resection specimens: *leader*, **344**
colorectal carcinoma, Histopathological detection of lymph node metastases from colorectal carcinoma, **685**
communication, The future of scientific communication in pathology, **13**

comparative genomic hybridisation, Polymorphous low grade adenocarcinoma with distant metastases and deletions on chromosome 6q23–qter and 11q23–qter: a case report, **942**
competency based training, Development of a competency based training programme to support multidisciplinary working in a combined biochemistry/haematology laboratory, **401**
competitive PCR, Quantitation of *Helicobacter pylori* in dental plaque samples by competitive polymerase chain reaction, **218**
complement, Apolipoprotein H, a new mediator in the inflammatory changes ensuing in jeopardised human myocardium, **863**
complications, Glycated haemoglobin in the year 2000: *leader,* **335**
congenital lymphoblastic leukaemia, Congenital acute T lymphoblastic leukaemia: report of a case with immunohistochemical and molecular characterisation, **150**
consolidation, Robotics into the millennium, **22**
continuing professional development, The future of scientific communication in pathology, **13**
contraception, A technique for the evaluation of failed fallopian tube ligation with metal clips, **400**
contralateral ureteric metastasis, Synchronous presentation of primary renal adenocarcinoma and contralateral ureteric metastasis, **639**
copper, Wilson's disease: acute and presymptomatic laboratory diagnosis and monitoring: *leader,* **807**
core antigen expression, A survey of liver pathology in needle biopsies from HBsAg and anti-HBe positive individuals, **541**
coroner, What is a natural cause of death? A survey of how coroners in England and Wales approach borderline cases, **367**
When should a coroner's inquest be held? The Manchester guidelines for pathologists: *leader,* **340**
CPD, Continuous professional development in pathology: a continental view, **10**
craniopharyngioma, Pulmonary adenocarcinoma metastatic to pituitary craniopharyngioma: *letter,* **946**
cresol, Interaction of insulin with *Burkholderia pseudomallei* may be caused by a preservative, **159**
Creutzfeldt-Jakob disease, Neuropathology, **255**
crossmatch, Is it time to give up the crossmatch?: *leader,* **673**
cryoglobulinaemia, Unusual manifestations of type II cryoglobulinaemia associated with Waldenström's macroglobulinaemia, **882**
culture, Survival of leptospires in commercial blood culture systems revisited, **713**
cyanide, Fatal methane and cyanide poisoning as a result of handling industrial fish: a case report and review of the literature, **794**
cystic neoplasms of the pancreas, Coexistence of an endocrine tumour in a serous cystadenoma (microcystic adenoma) of the pancreas, an unusual association, **800**
cytokeratin 7, Qualitative and quantitative differences between bile ducts in chronic hepatitis and in primary biliary cirrhosis, **765**
cytology, Flow cytometric immunophenotyping of serous effusions and peritoneal washings: comparison with immunocytochemistry and morphological findings, **513**
cytoskeletal phenotype, Phenotypic change of muscularis mucosae in early invasive colorectal adenocarcinoma, **878**
cytospin, Demand management in urine cytology: a single cytospin slide is sufficient, **718**

death certification, What is a natural cause of death? A survey of how coroners in England and Wales approach borderline cases, **367**
When should a coroner's inquest be held? The Manchester guidelines for pathologists: *leader,* **340**
death in custody, The role of the pathologist in human rights abuses: *leader,* **569**
decision analysis, Temporal artery biopsy: is there any value in examining biopsies at multiple levels?, **131**
demand management, Demand management in urine cytology: a single cytospin slide is sufficient, **718**
dendritic cell, Immunohistowax processing, a new fixation and embedding method for light microscopy, which preserves antigen immunoreactivity and morphological structures: visualisation of dendritic cells in peripheral organs, **518**
dendritic interstitial cell, Differential expression of CD34 in normal colorectal tissue, peritumoral inflammatory tissue, and tumour stroma, **626**
dental plaque, Quantitation of *Helicobacter pylori* in dental plaque samples by competitive polymerase chain reaction, **218**
devR polymerase chain reaction, Comparison of in house polymerase chain reaction with conventional techniques for the detection of *Mycobacterium tuberculosis* DNA in granulomatous lymphadenopathy, **355**
diabetes, Glycated haemoglobin in the year 2000: *leader,* **335**
diabetes mellitus, Skin tags and the atherogenic lipid profile, **873**
Type 1 diabetes mellitus masking primary antibody deficiency, **236**
diagnosis, Is the detection of *Mycobacterium tuberculosis* DNA by ligase chain reaction worth the cost: experiences from an inner London teaching hospital, **924**
Recent advances in immunohistochemistry in the diagnosis of ovarian neoplasms: *leader,* **327**
The histological reporting of melanoma: *leader,* **587**
Wilson's disease: acute and presymptomatic laboratory diagnosis and monitoring: *leader,* **807**
diagnosis of anaemia, Clinical use of WHO haemoglobin colour scale: validation and critique, **933**
differentiation, Capacity for epithelial differentiation in synovial sarcoma: analysis of a new human cell line, **525**
difficult diagnosis, Problematic pigmented lesions: approach to diagnosis, **409**
dissection, Examination of lung specimens, **507**
district registers, Colorectal cancer registration: the central importance of pathology, **875**
DNA analysis, Laser capture microdissection in pathology: *leader,* **666**
DNA cytometry, Routine DNA cytometry of benign and malignant pleural effusions by means of the remote quantitation server Euroquant: a prospective study, **760**
DNA fragmentation, *Chlamydia pneumoniae* antigens, rather than viable bacteria, persist in atherosclerotic lesions, **911**
drug concentrations, Estimating antemortem drug concentrations from postmortem blood samples: the influence of postmortem redistribution, **282**
drug overdose, Methadone deaths: a toxicological analysis, **277**
duct carcinoma in situ, Consistency in the observation of features used to classify duct carcinoma in situ (DCIS) of the breast, **596**
dura mater, Myelomatous involvement of the dura mater: a rare complication of multiple myeloma, **398**

economic analysis, Temporal artery biopsy: is there any value in examining biopsies at multiple levels?, **131**
Ecstasy, Muscle changes in the neuroleptic malignant syndrome, **223**
EDTA, Splenic B cell lymphoma with lymphocyte clusters in peripheral blood smears, **228**
election microscopy, Renal biopsy specimens, **433**
electron microscopy, Rationalised virological electron microscope specimen testing policy: *letter,* **722**
Renal biopsy specimens: *leader,* **433**
electronic issue, Is it time to give up the crossmatch?: *leader,* **673**
endogenous erythroid colony, Simultaneous occurrence of multiple aetiologies of polycythaemia: renal cell carcinoma, sleep apnoea syndrome, and relative polycythaemia in a smoker with masked polycythaemia rubra vera, **561**
endometrial biopsy, Re: Gynaecological effects of tamoxifen: *letter,* **484**
endometrial cancer, Re: Gynaecological effects of tamoxifen: *letter,* **484**
endometrial hyperplasia, Computerised morphometrical analysis in endometrial hyperplasia for the prediction of cancer development. A long term retrospective study from northern Norway, **697**
endometriosis, Pregnancy associated endometriosis with pronounced stromal myxoid change, **241**
endosalpingiosis, Paraovarian cystic endosalpingiosis in association with tamoxifen therapy, **161**
enterovirus, No detection of enteroviral genome in the myocardium of patients with arrhythmogenic right ventricular cardiomyopathy, **382**
enzyme immunoassay, Evaluation of a new amplified enzyme immunoassay (EIA) for the detection of *Chlamydia trachomatis* in male urine, female endocervical swab, and patient obtained vaginal swab specimens, **350**
enzyme linked immunosorbent assay, ELISA is the superior method for detecting antineutrophil cytoplasmic antibodies in the diagnosis of systemic necrotising vasculitis: *letter,* **644**
Western blotting is useful in the salivary diagnosis of *Helicobacter pylori* infection, **314**
epidemiology, Epidemiology and molecular typing of an outbreak of tuberculosis in a hostel for homeless men, **122**
epithelial kinetics, Cell proliferation in type C gastritis affecting the intact stomach, **784**
Epstein-Barr virus, Improved prognosis of Epstein-Barr virus associated childhood Hodgkin's lymphoma: study of 47 South African cases, **182**
The role of EBV in post-transplant malignancies: a review: *leader,* **248**
erythrocytosis, Simultaneous occurrence of multiple aetiologies of polycythaemia: renal cell carcinoma, sleep apnoea syndrome, and relative polycythaemia in a smoker with masked polycythaemia rubra vera, **561**
Escherichia coli, Immunohistowax processing, a new fixation and embedding method for light microscopy, which preserves antigen immunoreactivity and morphological structures: visualisation of dendritic cells in peripheral organs, **518**
ethnic neutropenia, Exercise induced mobilisation of the marginated granulocyte pool in the investigation of ethnic neutropenia, **481**
Euroquant server, Routine DNA cytometry of benign and malignant pleural effusions by means of the remote quantitation server Euroquant: a prospective study, **760**
exercise, Exercise induced mobilisation of the marginated granulocyte pool in the investigation of ethnic neutropenia, **481**
expression, Expression of human α-defensin 5 (HD5) mRNA in nasal and bronchial epithelial cells, **770**

external quality assessment, Immunohistochemical demonstration of oestrogen and progesterone receptors: correlation of standards achieved on 'in house' tumours with that achieved on external quality assessment material in over 150 laboratories from 26 countries, **292**
Photodynamic treatment of pooled coumarin plasma for external quality assessment of the prothrombin time, **470**
UK NEQAS in antibiotic assays: *leader*, **829**
external quality assurance, The pathologist in the 21st century—generalist or specialist?, **7**
external quality control, Immunohistochemical detection of steroid receptors in breast cancer: a working protocol, **634**
extractable nuclear antigens, The use of laboratory tests in the diagnosis of SLE, **419**
extramammary Paget's disease, Mammary and extramammary Paget's disease: *leader*, **742**
extranodal, ALK expression in extranodal anaplastic large cell lymphoma favours systemic disease with (primary) nodal involvement and a good prognosis and occurs before dissemination, **445**
Anaplastic large cell lymphoma: what's in a name?: *editorial*, **407**

fallopian tube, Unusual manifestations of type II cryoglobulinaemia associated with Waldenström's macroglobulinaemia, **882**
fallopian tubes, A technique for the evaluation of failed fallopian tube ligation with metal clips, **400**
false positives, Prevalence of HIV and hepatitis C markers among a cadaveric population in Milan: *letter*, **405**
familial intestinal polyposis, On "Familial intestinal polyposis" by C E Dukes: *editorial*, **4**
female perineum, Multifocal aggressive angiomyxoma: a case report, **798**
fetal macrosomia, Fetal macrosomia related to maternal poorly controlled type 1 diabetes strongly impairs serum lipoprotein concentrations and composition, **917**
The causes and effects of fetal macrosomia in mothers with type 1 diabetes: *editorial*, **889**
fetal nutrition, The causes and effects of fetal macrosomia in mothers with type 1 diabetes: *editorial*, **889**
fibrate, A paradoxical severe decrease in serum HDL-cholesterol after treatment with a fibrate, **796**
fibrillogenesis, Danish type gelsolin related amyloidosis: 654G-T mutation is associated with a disease pathogenetically and clinically similar to that caused by the 654G-A mutation (familial amyloidosis of the Finnish type), **95**
fibrinogen, Lipoprotein (a) and stroke: *leader*, **487**
fibrosis, Mast cells: the forgotten cells of renal fibrosis, **858**
field change, Lack of mucin MUC5AC field change expression associated with tubulovillous and villous colorectal adenomas, **100**
fine needle aspiration, Immunoflow cytometry and cell block immunohistochemistry in the FNA diagnosis of lymphoma: a review of 73 consecutive cases, **451**
Finnish familial amyloidosis, Danish type gelsolin related amyloidosis: 654G-T mutation is associated with a disease pathogenetically and clinically similar to that caused by the 654G-A mutation (familial amyloidosis of the Finnish type), **95**
flow cytometry, Flow cytometric immunophenotyping of serous effusions and peritoneal washings: comparison with immunocytochemistry and morphological findings, **513**
Immunoflow cytometry and cell block immunohistochemistry in the FNA diagnosis of lymphoma: a review of 73 consecutive cases, **451**
fluorescence in situ hybridisation, Laboratory assessment of the status of Her-2/neu protein and oncogene in breast cancer specimens: comparison of immunohistochemistry assay with fluorescence in situ hybridisation assays, **374**
fluoxetine, Muscle changes in the neuroleptic malignant syndrome, **223**
frequency of positivity, Frequency of oestrogen and progesterone receptor positivity by immunohistochemical analysis in 7016 breast carcinomas: correlation with patient age, assay sensitivity, threshold value, and mammographic screening, **688**

gastric cancer, Gastric mucosal inflammation and epithelial cell turnover are associated with gastric cancer in patients with *Helicobacter pylori* infection, **532**
gastritis, Gastric mucosal inflammation and epithelial cell turnover are associated with gastric cancer in patients with *Helicobacter pylori* infection, **532**
gastro-oesophageal disease, The gastric cardia in gastro-oesophageal disease, **619**
gelsolin mutation 654G-T, Danish type gelsolin related amyloidosis: 654G-T mutation is associated with a disease pathogenetically and clinically similar to that caused by the 654G-A mutation (familial amyloidosis of the Finnish type), **95**
gene expression, Lack of mucin MUC5AC field change expression associated with tubulovillous and villous colorectal adenomas, **100**
Laser capture microdissection in pathology: *leader*, **666**
genetics, Primary pulmonary hypertension: the pressure rises for a gene: *leader*, **899**
genome, The future of scientific communication in pathology, **13**
giant cell arteritis, Giant cell arteritis at the millennium: *editorial*, **5**
glycated haemoglobin, Abnormal haemoglobins, Hb Takamatsu and Hb G-Szuhu, detected during the analysis of glycated haemoglobin (HbA_{1C}) by high performance liquid chromatography, **854**
Glycated haemoglobin in the year 2000: *leader*, **335**
graft-versus-host disease, Immunotherapy of AML: future directions, **49**
graft-versus-leukaemia, Immunotherapy of AML: future directions, **49**
Gram stain, Wet mount microscopy reflects functional vaginal lactobacillary flora better than Gram stain, **308**
guidelines, Thrombophilia testing: *letter*, **803**

haemangioma, Capillary haemangioma of the testis, **641**
Small bowel haemangioma with local lymph node involvement presenting as intussusception, **552**
haematology, Haematology: *editorial*, **4**
haematoxylin and eosin stain, Is H&E morphology coming to an end?, **38**
haemoglobin colour scale, Clinical use of WHO haemoglobin colour scale: validation and critique, **933**
haemoglobinometry, Clinical use of WHO haemoglobin colour scale: validation and critique, **933**
haemolytic uraemic syndrome, Current understanding of the pathophysiology of thrombotic thrombocytopenic purpura, **497**
haemophagocytic syndrome, Haemophagocytic syndrome and histiocytic necrotising lymphadenitis (Kikuchi's disease), **636**
hairy cell leukaemia, Chronic myeloid leukaemia occurring in a patient with hairy cell leukaemia, **940**
H=d flagellar antigen, The serodiagnosis of infection with *Salmonella typhi*, **851**
***Helicobacter pylori*,** Co-expression in *Helicobacter pylori* of cagA and non-opsonic neutrophil activation enhances the association with peptic ulcer disease, **318**
Gastric mucosal inflammation and epithelial cell turnover are associated with gastric cancer in patients with *Helicobacter pylori* infection, **532**
Microorganisms in the aetiology of atherosclerosis: *leader*, **647**
Quantitation of *Helicobacter pylori* in dental plaque samples by competitive polymerase chain reaction, **218**
The gastric cardia in gastro-oesophageal disease, **619**
Western blotting is useful in the salivary diagnosis of *Helicobacter pylori* infection, **314**
***Helicobacter* organisms,** Histological identification of *Helicobacter pylori*: comparison of staining methods, **756**
hepatitis grading, A survey of liver pathology in needle biopsies from HBsAg and anti-HBe positive individuals, **541**
hepatitis virus, Molecular techniques for clinical diagnostic virology: *leader*, **502**
HER2, Recommendations for HER2 testing in the UK: *leader*, **890**
Her-2/neu, Laboratory assessment of the status of Her-2/neu protein and oncogene in breast cancer specimens: comparison of immunohistochemistry assay with fluorescence in situ hybridisation assays, **374**
Herceptin®, Recommendations for HER2 testing in the UK: *leader*, **890**
herpesvirus, Molecular techniques for clinical diagnostic virology: *leader*, **502**
high density lipoprotein-cholesterol, A paradoxical severe decrease in serum HDL-cholesterol after treatment with a fibrate, **796**
high intensity focused ultrasound treatment, Histopathological changes associated with high intensity focused ultrasound (HIFU) treatment for localised adenocarcinoma of the prostate, **391**
high performance liquid chromatography, Abnormal haemoglobins, Hb Takamatsu and Hb G-Szuhu, detected during the analysis of glycated haemoglobin (HbA_{1C}) by high performance liquid chromatography, **854**
high risk human papillomavirus testing, PCR based high risk HPV testing is superior to neural network based screening for predicting incident CIN III in women with normal cytology and borderline changes, **606**
histiocytic haemophagocytosis, Haemophagocytic syndrome and histiocytic necrotising lymphadenitis (Kikuchi's disease), **636**
histiocytic lymphoma, Histiocytic lymphoma presenting as a testicular tumour and terminating in acute monoblastic leukaemia, **788**
histiocytic necrotising lymphadenitis, Haemophagocytic syndrome and histiocytic necrotising lymphadenitis (Kikuchi's disease), **636**
histological differentiation, Recent striking changes in histological differentiation and rate of human papillomavirus infection in squamous cell carcinoma of the lung in Okinawa, a subtropical island in southern Japan, **676**
histological identification, Histological identification of *Helicobacter pylori*: comparison of staining methods, **756**
histological reporting, The histological reporting of melanoma: *leader*, **587**
histology reports, The effect of using templates on the information included in histology reports on specimens of uterine cervix taken by loop excision of transformation zone (LETZ): *letter*, **645**
HIV, Monitoring patients with HIV disease, **266**

HIV infection, Benign monoclonal expansion of CD8+ lymphocytes in HIV infection, **177**
HIV prevalence, Unlinked anonymous HIV study of hospital patients and general practice attenders in Glasgow, 1991–1997, **117**
HLA-DR expression, HLA-DR and β_2 microglobulin expression in medullary and atypical medullary carcinoma of the breast: histopathologically similar but biologically distinct entities, **286**
Hodgkin's lymphoma, Improved prognosis of Epstein-Barr virus associated childhood Hodgkin's lymphoma: study of 47 South African cases, **182**
homeobox genes, Expression of a homeobox gene (SIX5) in borderline ovarian tumours, **212**
homocysteine, Lipoprotein (a) and stroke: *leader,* **487**
human chromosome pair 11, Polymorphous low grade adenocarcinoma with distant metastases and deletions on chromosome 6q23–qter and 11q23–qter: a case report, **942**
human chromosome pair 6, Polymorphous low grade adenocarcinoma with distant metastases and deletions on chromosome 6q23–qter and 11q23–qter: a case report, **942**
human α-defensin 5, Expression of human α-defensin 5 (HD5) mRNA in nasal and bronchial epithelial cells, **770**
human immunodeficiency virus, Molecular techniques for clinical diagnostic virology: *leader,* **502**
Prevalence of HIV and hepatitis C markers among a cadaveric population in Milan: *letter,* **405**
human immunodeficiency virus type 1 RNA, Some problems found in HIV-1 RNA quantification: *letter,* **645**
human papillomavirus, Recent striking changes in histological differentiation and rate of human papillomavirus infection in squamous cell carcinoma of the lung in Okinawa, a subtropical island in southern Japan, **676**
human rights, The role of the pathologist in human rights abuses: *leader,* **569**
human T lymphotropic virus type 1, HTLV-1 infections: *leader,* **581**
hypercalcaemia, Artefactual serum hyperkalaemia and hypercalcaemia in essential thrombocythaemia, **105**
Raised plasma parathyroid hormone related peptide in gastric adenocarcinoma: *letter,* **643**
hyperkalaemia, Artefactual serum hyperkalaemia and hypercalcaemia in essential thrombocythaemia, **105**
hyperplastic endometrium, Thymidine phosphorylase expression in normal and hyperplastic endometrium, **704**

ICT tuberculosis test, Evaluating the usefulness of the ICT tuberculosis test kit for the diagnosis of tuberculosis, **715**
identification procedures, Future directions in quantitative pathology: digital knowledge in diagnostic pathology, **31**
image analysis, Computerised morphometrical analysis in endometrial hyperplasia for the prediction of cancer development. A long term retrospective study from northern Norway, **697**
immune deficiency, *Strongyloides stercoralis*: ultrastructural study of newly hatched larvae within human duodenal mucosa, **110**
immune system, Whipple's disease revisited: *leader,* **750**
immunocytochemistry, *Chlamydia pneumoniae* antigens, rather than viable bacteria, persist in atherosclerotic lesions, **911**
Chlamydia pneumoniae in vitro and in vivo: a critical evaluation of in situ detection methods, **904**
immunofluorescence, ELISA is the superior method for detecting antineutrophil cytoplasmic antibodies in the diagnosis of systemic necrotising vasculitis: *letter,* **644**
Renal biopsy specimens: *leader,* **433**
immunogenetics, Immunogenetics: changing the face of immunodeficiency, **60**
immunohistochemical analysis, Oestrogen, progesterone, and androgen receptors in ovarian neoplasia: correlation between immunohistochemical and biochemical receptor analyses, **201**
immunohistochemistry, Aggressive angiomyxoma of pelvic parts exhibits oestrogen and progesterone receptor positivity, **603**
Audit and internal quality control in immunohistochemistry, **929**
Frequency of oestrogen and progesterone receptor positivity by immunohistochemical analysis in 7016 breast carcinomas: correlation with patient age, assay sensitivity, threshold value, and mammographic screening, **688**
Immunohistochemical demonstration of oestrogen and progesterone receptors: correlation of standards achieved on 'in house' tumours with that achieved on external quality assessment material in over 150 laboratories from 26 countries, **292**
Immunohistochemical detection of steroid receptors in breast cancer: a working protocol, **634**
Immunohistowax processing, a new fixation and embedding method for light microscopy, which preserves antigen immunoreactivity and morphological structures: visualisation of dendritic cells in peripheral organs, **518**
Laser capture microdissection in pathology: *leader,* **666**
Massive abdominal and pelvic myxoma in Carney's syndrome, **558**
Necropsy diagnosis of myocarditis: a retrospective study using CD45RO immunohistochemistry, **147**
Quality control for the immunohistochemical demonstration of oestrogen and progesterone receptors: *editorial,* **247**
Recent advances in immunohistochemistry in the diagnosis of ovarian neoplasms: *leader,* **327**
Reliability of immunohistochemical demonstration of oestrogen receptors in routine practice: interlaboratory variance in the sensitivity of detection and evaluation of scoring systems, **125**
Renal biopsy specimens: *leader,* **433**
The importance of IL-6 protein expression in primary human renal cell carcinoma: an immunohistochemical study, **388**
The importance of skip lesions in temporal arteritis, **137**
Value of A103 (melan-A) immunostaining in the differential diagnosis of ovarian sex cord stromal tumours, **206**
immunolabelling, Immunoflow cytometry and cell block immunohistochemistry in the FNA diagnosis of lymphoma: a review of 73 consecutive cases, **451**
immunophenotyping, Flow cytometric immunophenotyping of serous effusions and peritoneal washings: comparison with immunocytochemistry and morphological findings, **513**
in situ hybridisation, *Chlamydia pneumoniae* antigens, rather than viable bacteria, persist in atherosclerotic lesions, **911**
Chlamydia pneumoniae in vitro and in vivo: a critical evaluation of in situ detection methods, **904**
inclusion bodies, Histopathological detection of owl's eye inclusions is still specific for cytomegalovirus in the era of human herpesviruses 6 and 7, **612**
indirect immunofluorescence, Indirect immunofluorescence (IIF) of normal washed peripheral blood cells to demonstrate antineutrophil cytoplasmic antibodies (ANCA), **774**
M2-AMA do not directly produce ANCA indirect immunofluorescence patterns: *letter,* **643**
industrial fish, Fatal methane and cyanide poisoning as a result of handling industrial fish: a case report and review of the literature, **794**

infection control, Infection and antimicrobial prescribing control in the new millennium: nightmare or nirvana?, **66**
infection risk, The risk of infection transmission by blood transfusion in England: *letter,* **85**
inflammation, Apolipoprotein H, a new mediator in the inflammatory changes ensuing in jeopardised human myocardium, **863**
The importance of skip lesions in temporal arteritis, **137**
inflammatory bowel disease, Examination of large intestine resection specimens: *leader,* **344**
inherited disorders, Immunogenetics: changing the face of immunodeficiency, **60**
insulin, Interaction of insulin with *Burkholderia pseudomallei* may be caused by a preservative, **159**
interlaboratory variation, Reliability of immunohistochemical demonstration of oestrogen receptors in routine practice: interlaboratory variance in the sensitivity of detection and evaluation of scoring systems, **125**
interleukin 6, The importance of IL-6 protein expression in primary human renal cell carcinoma: an immunohistochemical study, **388**
internal quality control, Audit and internal quality control in immunohistochemistry, **929**
international normalised ratio, A comparison of international normalised ratio (INR) measurement in hospital and general practice settings: evidence for lack of standardisation: *letter,* **803**
Photodynamic treatment of pooled coumarin plasma for external quality assessment of the prothrombin time, **470**
internet, Continuous professional development in pathology: a continental view, **10**
The future of scientific communication in pathology, **13**
The *Journal of Clinical Pathology* goes online (http://www.jclinpath.com)!: *editorial,* **887**
interval cancer, A study of interval breast cancer within the NHS breast screening programme, **140**
intestinal infarction, Small intestinal infarction: a fatal complication of systemic oxalosis, **720**
intra-alveolar haemorrhage, Re: Intra-alveolar haemorrhage in sudden infant death symdrome: a cause for concern?: *letter,* **484**
intraduct necrosis, Consistency in the observation of features used to classify duct carcinoma in situ (DCIS) of the breast, **596**
intraductal carcinoma, Morphological identification of the patterns of prostatic intraepithelial neoplasia and their importance: *leader,* **655**
intraductal dysplasia, Morphological identification of the patterns of prostatic intraepithelial neoplasia and their importance: *leader,* **655**
intussusception, Small bowel haemangioma with local lymph node involvement presenting as intussusception, **552**
invasive aspergillosis, Aspergillus antigen testing in bone marrow transplant recipients, **362**
IS6110, Epidemiology and molecular typing of an outbreak of tuberculosis in a hostel for homeless men, **122**

kidney, Mast cells: the forgotten cells of renal fibrosis, **858**
Kikuchi's disease, Haemophagocytic syndrome and histiocytic necrotising lymphadenitis (Kikuchi's disease), **636**
Recurrence of Kikuchi's lymphadenitis after 12 years, **157**

laboratory diagnosis, An assessment of the artefacts introduced by mounting two parallel sections from each histological level of cervical punch biopsies.: *letter*, **85**
Modern laboratory diagnosis of mycobacterial infections: *leader*, **727**
The use of laboratory tests in the diagnosis of SLE, **419**
laboratory processing, Guidelines for the laboratory handling of laryngectomy specimens, **171**
lactobacillary flora, Wet mount microscopy reflects functional vaginal lactobacillary flora better than Gram stain, **308**
large intestine, Examination of large intestine resection specimens: *leader*, **344**
larvae, *Strongyloides stercoralis*: ultrastructural study of newly hatched larvae within human duodenal mucosa, **110**
laryngectomy specimens, Guidelines for the laboratory handling of laryngectomy specimens, **171**
laser capture microdissection, Laser capture microdissection in pathology: *leader*, **666**
lecithin:cholesterol acyltransferase, Fetal macrosomia related to maternal poorly controlled type 1 diabetes strongly impairs serum lipoprotein concentrations and composition, **917**
leptomeningeal, Myelomatous involvement of the dura mater: a rare complication of multiple myeloma, **398**
leptospirosis, Survival of leptospires in commercial blood culture systems revisited, **713**
leucoagglutination, Splenic B cell lymphoma with lymphocyte clusters in peripheral blood smears, **228**
ligase chain reaction, Is the detection of *Mycobacterium tuberculosis* DNA by ligase chain reaction worth the cost: experiences from an inner London teaching hospital, **924**
Molecular techniques for clinical diagnostic virology: *leader*, **502**
lip, Calibre persistent artery of the lip: an underdiagnosed entity?: *letter*, **885**
lipids, Fetal macrosomia related to maternal poorly controlled type 1 diabetes strongly impairs serum lipoprotein concentrations and composition, **917**
Lipoprotein (a) and stroke: *leader*, **487**
Skin tags and the atherogenic lipid profile, **873**
The causes and effects of fetal macrosomia in mothers with type 1 diabetes: *editorial*, **889**
lipoprotein a, Lipoprotein (a) and stroke: *leader*, **487**
lipoproteins, Fetal macrosomia related to maternal poorly controlled type 1 diabetes strongly impairs serum lipoprotein concentrations and composition, **917**
liquid based cytology, Cervical cytology after 2000: where to go?, **41**
liver cirrhosis, Autoantigens in primary biliary cirrhosis: *leader*, **813**
liver pathology, A survey of liver pathology in needle biopsies from HBsAg and anti-HBe positive individuals, **541**
LKB1, An investigation of the Peutz-Jeghers gene (LKB1) in sporadic breast and colon cancers, **791**
loop excision of transformation zone, The effect of using templates on the information included in histology reports on specimens of uterine cervix taken by loop excision of transformation zone (LETZ): *letter*, **645**
LSD, Muscle changes in the neuroleptic malignant syndrome, **223**
lung, Examination of lung specimens, **507**
lung cancer, Preoperative histological classification of primary lung cancer: accuracy of diagnosis and use of the non-small cell category, **537**
lymph node, Histopathological detection of lymph node metastases from colorectal carcinoma, **685**
Small bowel haemangioma with local lymph node involvement presenting as intussusception, **552**
lymphadenopathy, Silicone lymphadenopathy mimicking a lymphoma in a patient with a metatarsophalangeal joint prosthesis, **549**
lymphocytes, Splenic B cell lymphoma with lymphocyte clusters in peripheral blood smears, **228**
lymphoid infiltrate, Evaluation of B cell lymphoid infiltrates in bone marrow biopsies by morphology, immunohistochemistry, and molecular analysis, **835**
lymphoma, Immunoflow cytometry and cell block immunohistochemistry in the FNA diagnosis of lymphoma: a review of 73 consecutive cases, **451**
Malignant lymphoma of the urinary bladder: a clinicopathological study of 11 cases, **458**
Splenic B cell lymphoma with lymphocyte clusters in peripheral blood smears, **228**

M protein synthesis, Evaluation of argyrophilic nucleolar organiser regions (AgNORs) in multiple myeloma, **462**
malignant melanoma, Small cell malignant melanoma: a variant of naevoid melanoma. Clinicopathological features and histological differential diagnosis, **591**
MALT lymphoma, Clinicopathological features of gastric mucosa associated lymphoid tissue (MALT) lymphomas: high grade transformation and comparison with diffuse large B cell lymphomas without MALT lymphoma features, **187**
mammary Paget's disease, Mammary and extramammary Paget's disease: *leader*, **742**
mantle cell lymphoma, Immunohistochemical analysis of human CD5 positive B cells: mantle cells and mantle cell lymphoma are not equivalent in terms of CD5 expression, **395**
mantle zone B cells, Immunohistochemical analysis of human CD5 positive B cells: mantle cells and mantle cell lymphoma are not equivalent in terms of CD5 expression, **395**
mast cells, Mast cells: the forgotten cells of renal fibrosis, **858**
maternal type 1 diabetes, Fetal macrosomia related to maternal poorly controlled type 1 diabetes strongly impairs serum lipoprotein concentrations and composition, **917**
medical education, Medical education, in particular the role of the MSc in medical microbiology: *editorial*, **567**
medical microbiology, Medical education, in particular the role of the MSc in medical microbiology: *editorial*, **567**
medicolegal investigations, Next of kin clinics: *letter*, **646**
medullary carcinoma of the breast, HLA-DR and β_2 microglobulin expression in medullary and atypical medullary carcinoma of the breast: histopathologically similar but biologically distinct entities, **286**
melanoma, Problematic pigmented lesions: approach to diagnosis, **409**
The histological reporting of melanoma: *leader*, **587**
meliodosis, Interaction of insulin with *Burkholderia pseudomallei* may be caused by a preservative, **159**
meningitis, *Pasteurella multocida* meningitis in an adult: case report, **234**
metastases, Histopathological detection of lymph node metastases from colorectal carcinoma, **685**
metastasis, Pulmonary adenocarcinoma metastatic to pituitary craniopharyngioma: *letter*, **946**
methadone, Methadone deaths: a toxicological analysis, **277**
methane, Fatal methane and cyanide poisoning as a result of handling industrial fish: a case report and review of the literature, **794**
microarray, Robotics into the millennium, **22**
microbiology, The New Millennium: time for a change!: *editorial*, **1**
microsatellite instability, Pathogenesis of non-familial colorectal carcinomas with high microsatellite instability, **841**
microsatellite PCR, Application of microsatellite PCR techniques in the identification of mixed up tissue specimens in surgical pathology, **238**
mislabelled tissue, Application of microsatellite PCR techniques in the identification of mixed up tissue specimens in surgical pathology, **238**
mitochondrial 3243 mutation, Presence of mitochondrial tRNA $^{Leu(UUR)}$ A to G 3243 mutation in DNA extracted from serum and plasma of patients with type 2 diabetes mellitus, **466**
mitochondrial tRNA $^{Leu(UUR)}$, Presence of mitochondrial tRNA $^{Leu(UUR)}$ A to G 3243 mutation in DNA extracted from serum and plasma of patients with type 2 diabetes mellitus, **466**
mixed up specimens, Application of microsatellite PCR techniques in the identification of mixed up tissue specimens in surgical pathology, **238**
molecular bacteriology, Molecular bacteriology: a diagnostic tool for the millennium, **71**
molecular biology, No detection of enteroviral genome in the myocardium of patients with arrhythmogenic right ventricular cardiomyopathy, **382**
molecular genetic testing, Molecular techniques: divide or share, **19**
molecular typing, Epidemiology and molecular typing of an outbreak of tuberculosis in a hostel for homeless men, **122**
molecular virology, Quantitative molecular virology in patient management, **76**
mortality, Pathological investigation of deaths following surgery, anaesthesia, and medical procedures: *letter*, **565**
mRNA, Expression of human α-defensin 5 (HD5) mRNA in nasal and bronchial epithelial cells, **770**
mucin, Lack of mucin MUC5AC field change expression associated with tubulovillous and villous colorectal adenomas, **100**
mucinous cystadenoma, Clear cell carcinoma of the ovary arising in a mucinous cystadenoma, **938**
mucosa associated lymphoid tissue lymphoma, Malignant lymphoma of the urinary bladder: a clinicopathological study of 11 cases, **458**
multidisciplinary working, Development of a competency based training programme to support multidisciplinary working in a combined biochemistry/haematology laboratory, **401**
multiple myeloma, Evaluation of argyrophilic nucleolar organiser regions (AgNORs) in multiple myeloma, **462**
muscularis mucosa, Phenotypic change of muscularis mucosae in early invasive colorectal adenocarcinoma, **878**
mycobacteria, Comparison of three isolation systems for the culture of mycobacteria from respiratory and non-respiratory samples, **615**
***Mycobacterium tuberculosis*,** Comparison of in house polymerase chain reaction with conventional techniques for the detection of *Mycobacterium tuberculosis* DNA in granulomatous lymphadenopathy, **355**
myeloma, Myelomatous involvement of the dura mater: a rare complication of multiple myeloma, **398**
myelopathy, HTLV-1 infections: *leader*, **581**

myocarditis, Necropsy diagnosis of myocarditis: a retrospective study using CD45RO immunohistochemistry, **147**
No detection of enteroviral genome in the myocardium of patients with arrhythmogenic right ventricular cardiomyopathy, **382**
myocardium, Apolipoprotein H, a new mediator in the inflammatory changes ensuing in jeopardised human myocardium, **863**
myofibroblast, Phenotypic change of muscularis mucosae in early invasive colorectal adenocarcinoma, **878**
myopathy, Muscle changes in the neuroleptic malignant syndrome, **223**
myxoid change, Pregnancy associated endometriosis with pronounced stromal myxoid change, **241**
myxoid tumours, Multifocal aggressive angiomyxoma: a case report, **798**
myxoma, Massive abdominal and pelvic myxoma in Carney's syndrome, **558**
Multifocal aggressive angiomyxoma: a case report, **798**

naevoid melanoma, Small cell malignant melanoma: a variant of naevoid melanoma. Clinicopathological features and histological differential diagnosis, **591**
natural killer cells, Immunotherapy of AML: future directions, **49**
N-cadherin, Flow cytometric immunophenotyping of serous effusions and peritoneal washings: comparison with immunocytochemistry and morphological findings, **513**
near patient testing, Near patient testing and pathology in the new millennium, **27**
necropsy, Necropsy diagnosis of myocarditis: a retrospective study using CD45RO immunohistochemistry, **147**
Necropsy organ weights are largely useless: *letter,* **243**
Postmortem findings after fatal anaphylactic reactions, **273**
What is a natural cause of death? A survey of how coroners in England and Wales approach borderline cases, **367**
When should a coroner's inquest be held? The Manchester guidelines for pathologists: *leader,* **340**
neonatal thromboembolic events, Neonatal thrombosis: *leader,* **428**
neoplasm metastasis, Polymorphous low grade adenocarcinoma with distant metastases and deletions on chromosome 6q23–qter and 11q23–qter: a case report, **942**
nephrotic syndrome, Type 1 diabetes mellitus masking primary antibody deficiency, **236**
neuroleptic malignant syndrome, Muscle changes in the neuroleptic malignant syndrome, **223**
neuropathology, Neuropathology, **255**
neutrophil, Co-expression in *Helicobacter pylori* of cagA and non-opsonic neutrophil activation enhances the association with peptic ulcer disease, **318**
next of kin clinics, Next of kin clinics: *letter,* **646**
node status, What modifies the relation between tumour size and lymph node metastases in T1 breast carcinomas?, **846**
non-familial colorectal carcinoma, Pathogenesis of non-familial colorectal carcinomas with high microsatellite instability, **841**
non-Hodgkin's lymphoma, Aberrant CD10 expression by NHL: *letter,* **723**
non-small cell, Preoperative histological classification of primary lung cancer: accuracy of diagnosis and use of the non-small cell category, **537**
non-tuberculous mycoplasma, Modern laboratory diagnosis of mycobacterial infections: *leader,* **727**
normal endometrium, Thymidine phosphorylase expression in normal and hyperplastic endometrium, **704**
nuchal fold, Down's syndrome screening: a controversial test, with more controversy to come!: *leader,* **893**
nucleic acid sequence based amplification, Molecular techniques for clinical diagnostic virology: *leader,* **502**

O=9,12 lipopolysaccharide antigen, The serodiagnosis of infection with *Salmonella typhi,* **851**
oesophagus, Candidal infection is uncommon in acute oesophagitis: evidence from a non-selected DGH population: *letter,* **84**
Guidelines for handling oesophageal biopsies and resection specimens and their reporting: *leader,* **89**
Oesophageal rhabdomyoma, **554**
oestradiol-17β hydroxysteroid dehydrogenase, Effect of transforming growth factor β_2 on oestrogen metabolism in the MCF-7 breast cancer cell line, **322**
oestrogen receptor, Abnormal regulation of the oestrogen receptor in benign breast lesions, **778**
Aggressive angiomyxoma of pelvic parts exhibits oestrogen and progesterone receptor positivity, **603**
Frequency of oestrogen and progesterone receptor positivity by immunohistochemical analysis in 7016 breast carcinomas: correlation with patient age, assay sensitivity, threshold value, and mammographic screening, **688**
Immunohistochemical demonstration of oestrogen and progesterone receptors: correlation of standards achieved on 'in house' tumours with that achieved on external quality assessment material in over 150 laboratories from 26 countries, **292**
Immunohistochemical detection of steroid receptors in breast cancer: a working protocol, **634**
Quality control for the immunohistochemical demonstration of oestrogen and progesterone receptors: *editorial,* **247**
Reliability of immunohistochemical demonstration of oestrogen receptors in routine practice: interlaboratory variance in the sensitivity of detection and evaluation of scoring systems, **125**
oestrone sulphatase, Effect of transforming growth factor β_2 on oestrogen metabolism in the MCF-7 breast cancer cell line, **322**
online publication, The *Journal of Clinical Pathology* goes online (http://www.jclinpath.com)!: *editorial,* **887**
organ transplants, Xenotransplantation—2000, **44**
organ weights, Necropsy organ weights are largely useless: *letter,* **243**
ovarian cancer, Re: Gynaecological effects of tamoxifen: *letter,* **484**
ovarian epithelial tumours, Expression of a homeobox gene (SIX5) in borderline ovarian tumours, **212**
ovarian neoplasia, Oestrogen, progesterone, and androgen receptors in ovarian neoplasia: correlation between immunohistochemical and biochemical receptor analyses, **201**
ovarian neoplasms, Recent advances in immunohistochemistry in the diagnosis of ovarian neoplasms: *leader,* **327**
ovarian tumours, Value of A103 (melan-A) immunostaining in the differential diagnosis of ovarian sex cord stromal tumours, **206**
ovary, Clear cell carcinoma of the ovary arising in a mucinous cystadenoma, **938**
Paraovarian cystic endosalpingiosis in association with tamoxifen therapy, **161**
oxalosis, Small intestinal infarction: a fatal complication of systemic oxalosis, **720**

pancreatic endocrine tumour, Coexistence of an endocrine tumour in a serous cystadenoma (microcystic adenoma) of the pancreas, an unusual association, **800**
paraovarian region, Paraovarian cystic endosalpingiosis in association with tamoxifen therapy, **161**
parathyroid hormone related peptide, Raised plasma parathyroid hormone related peptide in gastric adenocarcinoma: *letter,* **643**
Pasteurella multocida, *Pasteurella multocida* meningitis in an adult: case report, **234**
Polymicrobial tenosynovitis with *Pasteurella multocida* and other Gram negative bacilli after a Siberian tiger bite, **871**
pathology in the new millennium, The New Millennium: time for a change!: *editorial,* **1**
pathology services, The pathologist in the 21st century—generalist or specialist?, **7**
pelvis, Massive abdominal and pelvic myxoma in Carney's syndrome, **558**
peritoneum, Unusual manifestations of type II cryoglobulinaemia associated with Waldenström's macroglobulinaemia, **882**
Peutz-Jeghers syndrome, An investigation of the Peutz-Jeghers gene (LKB1) in sporadic breast and colon cancers, **791**
photodynamic treatment, Photodynamic treatment of pooled coumarin plasma for external quality assessment of the prothrombin time, **470**
pigmented lesions, Problematic pigmented lesions: approach to diagnosis, **409**
pituitary gland, Pulmonary adenocarcinoma metastatic to pituitary craniopharyngioma: *letter,* **946**
platelet aggregation, Current understanding of the pathophysiology of thrombotic thrombocytopenic purpura, **497**
Platelia enzyme linked immunosorbent assay, Aspergillus antigen testing in bone marrow transplant recipients, **362**
pleura, Examination of lung specimens, **507**
pleural effusions, Routine DNA cytometry of benign and malignant pleural effusions by means of the remote quantitation server Euroquant: a prospective study, **760**
polycythaemia rubra vera, Simultaneous occurrence of multiple aetiologies of polycythaemia: renal cell carcinoma, sleep apnoea syndrome, and relative polycythaemia in a smoker with masked polycythaemia rubra vera, **561**
polymerase chain reaction, Evaluation of B cell lymphoid infiltrates in bone marrow biopsies by morphology, immunohistochemistry, and molecular analysis, **835**
Histopathological detection of owl's eye inclusions is still specific for cytomegalovirus in the era of human herpesviruses 6 and 7, **612**
Chlamydia pneumoniae antigens, rather than viable bacteria, persist in atherosclerotic lesions, **911**
Molecular techniques for clinical diagnostic virology: *leader,* **502**
Some problems found in HIV-1 RNA quantification: *letter,* **645**
Whipple's disease revisited: *leader,* **750**
polymorphous low grade adenocarcinoma, Polymorphous low grade adenocarcinoma with distant metastases and deletions on chromosome 6q23–qter and 11q23–qter: a case report, **942**
postgraduate training, Medical education, in particular the role of the MSc in medical microbiology: *editorial,* **567**
postmortem blood sampling, Estimating antemortem drug concentrations from postmortem blood samples: the influence of postmortem redistribution, **282**
postmortem redistribution, Methadone deaths: a toxicological analysis, **277**
postmortem screening, Prevalence of HIV and hepatitis C markers among a cadaveric population in Milan: *letter,* **405**
post-transplant malignancy, The role of EBV in post-transplant malignancies: a review: *leader,* **248**

precancerous breast, Abnormal regulation of the oestrogen receptor in benign breast lesions, **778**
pregnancy, Thrombophilia in pregnancy: *leader,* **573**
primary biliary cirrhosis, Qualitative and quantitative differences between bile ducts in chronic hepatitis and in primary biliary cirrhosis, **765**
primary hyperoxaluria, Small intestinal infarction: a fatal complication of systemic oxalosis, **720**
primary immunodeficiency, Type 1 diabetes mellitus masking primary antibody deficiency, **236**
primary renal adenocarcinoma, Synchronous presentation of primary renal adenocarcinoma and contralateral ureteric metastasis, **639**
profiling, Laser capture microdissection in pathology: *leader,* **666**
progesterone receptor, Aggressive angiomyxoma of pelvic parts exhibits oestrogen and progesterone receptor positivity, **603**
Quality control for the immunohistochemical demonstration of oestrogen and progesterone receptors: *editorial,* **247**
progesterone receptors, Frequency of oestrogen and progesterone receptor positivity by immunohistochemical analysis in 7016 breast carcinomas: correlation with patient age, assay sensitivity, threshold value, and mammographic screening, **688**
Immunohistochemical demonstration of oestrogen and progesterone receptors: correlation of standards achieved on 'in house' tumours with that achieved on external quality assessment material in over 150 laboratories from 26 countries, **292**
prognosis, Evaluation of argyrophilic nucleolar organiser regions (AgNORs) in multiple myeloma, **462**
prognostic classification rule, Computerised morphometrical analysis in endometrial hyperplasia for the prediction of cancer development. A long term retrospective study from northern Norway, **697**
proliferation, Abnormal regulation of the oestrogen receptor in benign breast lesions, **778**
prostate, Morphological identification of the patterns of prostatic intraepithelial neoplasia and their importance: *leader,* **655**
prostate cancer, Histopathological changes associated with high intensity focused ultrasound (HIFU) treatment for localised adenocarcinoma of the prostate, **391**
prostatic adenocarcinoma, Morphological identification of the patterns of prostatic intraepithelial neoplasia and their importance: *leader,* **655**
prostatic intraepithelial neoplasia, Morphological identification of the patterns of prostatic intraepithelial neoplasia and their importance: *leader,* **655**
prosthesis, Silicone lymphadenopathy mimicking a lymphoma in a patient with a metatarsophalangeal joint prosthesis, **549**
prothrombin time, Photodynamic treatment of pooled coumarin plasma for external quality assessment of the prothrombin time, **470**
pT1, What modifies the relation between tumour size and lymph node metastases in T1 breast carcinomas?, **846**
pulmonary adenocarcinoma, Pulmonary adenocarcinoma metastatic to pituitary craniopharyngioma: *letter,* **946**
pulmonary hypertension, Primary pulmonary hypertension: the pressure rises for a gene: *leader,* **899**

quality control, An assessment of the artefacts introduced by mounting two parallel sections from each histological level of cervical punch biopsies.: *letter,* **85**
quantitative histopathology, Future directions in quantitative pathology: digital knowledge in diagnostic pathology, **31**

randomised controlled trials, Therapeutic trials in childhood ALL: what's their future?, **55**
rapid culture, Comparison of three isolation systems for the culture of mycobacteria from respiratory and non-respiratory samples, **615**
rectal carcinoma, Differential expression of CD34 in normal colorectal tissue, peritumoral inflammatory tissue, and tumour stroma, **626**
relative polycythaemia, Simultaneous occurrence of multiple aetiologies of polycythaemia: renal cell carcinoma, sleep apnoea syndrome, and relative polycythaemia in a smoker with masked polycythaemia rubra vera, **561**
remoxipride hydrochloride monohydrate, Muscle changes in the neuroleptic malignant syndrome, **223**
renal biopsy, Renal biopsy specimens: *leader,* **433**
renal cell carcinoma, Simultaneous occurrence of multiple aetiologies of polycythaemia: renal cell carcinoma, sleep apnoea syndrome, and relative polycythaemia in a smoker with masked polycythaemia rubra vera, **561**
The importance of IL-6 protein expression in primary human renal cell carcinoma: an immunohistochemical study, **388**
renal cortical necrosis, The clinical spectrum of *Clostridium sordellii* bacteraemia: two case reports and a review of the literature, **709**
renal function, A paradoxical severe decrease in serum HDL-cholesterol after treatment with a fibrate, **796**
renal vein thrombosis, Neonatal thrombosis: *leader,* **428**
reporting guidelines, Guidelines for handling oesophageal biopsies and resection specimens and their reporting: *leader,* **89**
rhabdoid, Squamous cell carcinoma of skin with a rhabdoid phenotype: a case report, **868**
rhabdomyoma, Oesophageal rhabdomyoma, **554**
RNA analysis, Laser capture microdissection in pathology: *leader,* **666**
robotics, Robotics into the millennium, **22**
routine biochemistry, Unlinked anonymous HIV study of hospital patients and general practice attenders in Glasgow, 1991–1997, **117**

salivary gland neoplasms, Basal cell adenocarcinoma of the palate with squamous metaplasia, **153**
salivary specimens, Western blotting is useful in the salivary diagnosis of *Helicobacter pylori* infection, **314**
Salmonella typhi, The serodiagnosis of infection with *Salmonella typhi* , **851**
sampling error, A survey of liver pathology in needle biopsies from HBsAg and anti-HBe positive individuals, **541**
screening, Down's syndrome screening: a controversial test, with more controversy to come!: *leader,* **893**
sentinel lymph node, Axillary staging of breast cancer and the sentinel node: *leader,* **733**
serological diagnosis of tuberculosis, Evaluating the usefulness of the ICT tuberculosis test kit for the diagnosis of tuberculosis, **715**
serous cystadenoma, Coexistence of an endocrine tumour in a serous cystadenoma (microcystic adenoma) of the pancreas, an unusual association, **800**
serous effusions, Flow cytometric immunophenotyping of serous effusions and peritoneal washings: comparison with immunocytochemistry and morphological findings, **513**
serum and plasma DNA, Presence of mitochondrial tRNA $^{Leu(UUR)}$ A to G 3243 mutation in DNA extracted from serum and plasma of patients with type 2 diabetes mellitus, **466**
serum hepatitis B virus DNA, A survey of liver pathology in needle biopsies from HBsAg and anti-HBe positive individuals, **541**
silicone, Silicone lymphadenopathy mimicking a lymphoma in a patient with a metatarsophalangeal joint prosthesis, **549**
SIX5, Expression of a homeobox gene (SIX5) in borderline ovarian tumours, **212**
skin, Squamous cell carcinoma of skin with a rhabdoid phenotype: a case report, **868**
skin tags, Skin tags and the atherogenic lipid profile, **873**
skip lesion, The importance of skip lesions in temporal arteritis, **137**
sleep apnoea syndrome, Simultaneous occurrence of multiple aetiologies of polycythaemia: renal cell carcinoma, sleep apnoea syndrome, and relative polycythaemia in a smoker with masked polycythaemia rubra vera, **561**
small bowel, Small bowel haemangioma with local lymph node involvement presenting as intussusception, **552**
small cell melanoma, Small cell malignant melanoma: a variant of naevoid melanoma. Clinicopathological features and histological differential diagnosis, **591**
solid media, Comparison of three isolation systems for the culture of mycobacteria from respiratory and non-respiratory samples, **615**
squamous carcinoma, Squamous cell carcinoma of skin with a rhabdoid phenotype: a case report, **868**
squamous cell carcinoma, Apoptosis in cervical squamous carcinoma: predictive value for survival following radiotherapy, **197**
squamous cell carcinoma of the lung, Recent striking changes in histological differentiation and rate of human papillomavirus infection in squamous cell carcinoma of the lung in Okinawa, a subtropical island in southern Japan, **676**
staining methods, Histological identification of *Helicobacter pylori*: comparison of staining methods, **756**
standardisation, A comparison of international normalised ratio (INR) measurement in hospital and general practice settings: evidence for lack of standardisation: *letter,* **803**
statistics, Fear or favour? Statistics in pathology, **16**
sterilisation failure, A technique for the evaluation of failed fallopian tube ligation with metal clips, **400**
steroid receptors, Oestrogen, progesterone, and androgen receptors in ovarian neoplasia: correlation between immunohistochemical and biochemical receptor analyses, **201**
stomach, Clinicopathological features of gastric mucosa associated lymphoid tissue (MALT) lymphomas: high grade transformation and comparison with diffuse large B cell lymphomas without MALT lymphoma features, **187**
stomach neoplasm, Raised plasma parathyroid hormone related peptide in gastric adenocarcinoma: *letter,* **643**
stroke, Lipoprotein (a) and stroke: *leader,* **487**
Strongyloides stercoralis, *Strongyloides stercoralis*: ultrastructural study of newly hatched larvae within human duodenal mucosa, **110**
sudden infant death syndrome, Re: Intra-alveolar haemorrhage in sudden infant death symdrome: a cause for concern?: *letter,* **484**
survival, ALK expression in extranodal anaplastic large cell lymphoma favours systemic disease with (primary) nodal involvement and a good prognosis and occurs before dissemination, **445**
synovial sarcoma, Capacity for epithelial differentiation in synovial sarcoma: analysis of a new human cell line, **525**

systemic lupus erythematosus, The use of laboratory tests in the diagnosis of SLE, **419**
systemic necrotising vasculitis, ELISA is the superior method for detecting antineutrophil cytoplasmic antibodies in the diagnosis of systemic necrotising vasculitis: *letter,* **644**

T cell lymphoblastic leukaemia, Congenital acute T lymphoblastic leukaemia: report of a case with immunohistochemical and molecular characterisation, **150**
T cells, Immunotherapy of AML: future directions, **49**
T lymphocytes, Necropsy diagnosis of myocarditis: a retrospective study using CD45RO immunohistochemistry, **147**
tamoxifen, Immunohistochemical detection of steroid receptors in breast cancer: a working protocol, **634**
Paraovarian cystic endosalpingiosis in association with tamoxifen therapy, **161**
Re: Gynaecological effects of tamoxifen: *letter,* **484**
teleconferencing, The future of scientific communication in pathology, **13**
temporal arteritis, The importance of skip lesions in temporal arteritis, **137**
temporal artery biopsy, Temporal artery biopsy: is there any value in examining biopsies at multiple levels?, **131**
testicular tumour, Histiocytic lymphoma presenting as a testicular tumour and terminating in acute monoblastic leukaemia, **788**
testis, Capillary haemangioma of the testis, **641**
thrombocythaemia, Artefactual serum hyperkalaemia and hypercalcaemia in essential thrombocythaemia, **105**
thrombophilia, Thrombophilia in pregnancy: *leader,* **573**
Thrombophilia testing: what do we think the tests mean and what should we do with the results?: *leader,* **167**
thrombophilia testing, Thrombophilia testing: *letter,* **803**
thrombotic thrombocytopenic purpura, Current understanding of the pathophysiology of thrombotic thrombocytopenic purpura, **497**
thymidine phosphorylase, Thymidine phosphorylase expression in normal and hyperplastic endometrium, **704**
torture, The role of the pathologist in human rights abuses: *leader,* **569**
toxicological analysis, Estimating antemortem drug concentrations from postmortem blood samples: the influence of postmortem redistribution, **282**
Methadone deaths: a toxicological analysis, **277**
toxoplasma dye test, Toxoplasma dye test using cell culture derived tachyzoites, **630**
transformation, Clinicopathological features of gastric mucosa associated lymphoid tissue (MALT) lymphomas: high grade transformation and comparison with diffuse large B cell lymphomas without MALT lymphoma features, **187**
transforming growth factor β_2, Effect of transforming growth factor β_2 on oestrogen metabolism in the MCF-7 breast cancer cell line, **322**
transfusion, Is it time to give up the crossmatch?: *leader,* **673**
transplant surgery, Xenotransplantation—2000, **44**
trisomy 21, Down's syndrome screening: a controversial test, with more controversy to come!: *leader,* **893**
***Tropheryma whippelii*,** Whipple's disease revisited: *leader,* **750**
tropical spastic paraparesis, HTLV-1 infections: *leader,* **581**
tuberculosis, Epidemiology and molecular typing of an outbreak of tuberculosis in a hostel for homeless men, **122**
Is the detection of *Mycobacterium tuberculosis* DNA by ligase chain reaction worth the cost: experiences from an inner London teaching hospital, **924**
Modern laboratory diagnosis of mycobacterial infections: *leader,* **727**
tuberculous lymphadenitis, Comparison of in house polymerase chain reaction with conventional techniques for the detection of *Mycobacterium tuberculosis* DNA in granulomatous lymphadenopathy, **355**
type 1 diabetes, The causes and effects of fetal macrosomia in mothers with type 1 diabetes: *editorial,* **889**
type 2 diabetes, Fetal origins of adult disease: epidemiology and mechanisms: *leader,* **822**
Presence of mitochondrial tRNA $^{Leu(UUR)}$ A to G 3243 mutation in DNA extracted from serum and plasma of patients with type 2 diabetes mellitus, **466**

ultra large von Willebrand factor, Current understanding of the pathophysiology of thrombotic thrombocytopenic purpura, **497**
ultrastructure, *Strongyloides stercoralis*: ultrastructural study of newly hatched larvae within human duodenal mucosa, **110**
United Kingdom National Quality Assessment Schemes, UK NEQAS in antibiotic assays: *leader,* **829**
urine cytology, Demand management in urine cytology: a single cytospin slide is sufficient, **718**
uterine cervix, Apoptosis in cervical squamous carcinoma: predictive value for survival following radiotherapy, **197**
The effect of using templates on the information included in histology reports on specimens of uterine cervix taken by loop excision of transformation zone (LETZ): *letter,* **645**

vagina, Angiomyofibroblastoma of the vagina: *letter,* **803**
vaginal smears, Wet mount microscopy reflects functional vaginal lactobacillary flora better than Gram stain, **308**
venous thrombosis, Thrombophilia testing: what do we think the tests mean and what should we do with the results?: *leader,* **167**
viability, Survival of leptospires in commercial blood culture systems revisited, **713**
viral load, Histopathological detection of owl's eye inclusions is still specific for cytomegalovirus in the era of human herpesviruses 6 and 7, **612**
Monitoring patients with HIV disease, **266**
virological diagnosis, Rationalised virological electron microscope specimen testing policy: *letter,* **163**
virus diagnosis, Rationalised virological electron microscope specimen testing policy: *letter,* **722**
von Willebrand factor, Current understanding of the pathophysiology of thrombotic thrombocytopenic purpura, **497**
vulva, Aggressive angiomyxoma of pelvic parts exhibits oestrogen and progesterone receptor positivity, **603**
Angiomyofibroblastoma of the vagina: *letter,* **803**

Waldenström's macroglobulinaemia, Unusual manifestations of type II cryoglobulinaemia associated with Waldenström's macroglobulinaemia, **882**
Weddellite, Dihydrate birefringent calcium oxalate or Weddellite calcification: *letter,* **84**
western blotting, Western blotting is useful in the salivary diagnosis of *Helicobacter pylori* infection, **314**
wet mounts, Wet mount microscopy reflects functional vaginal lactobacillary flora better than Gram stain, **308**
Widal assay, The serodiagnosis of infection with *Salmonella typhi*, **851**
Wilson's disease, Wilson's disease: acute and presymptomatic laboratory diagnosis and monitoring: *leader,* **807**
world wide web, Continuous professional development in pathology: a continental view, **10**

xenotransplantation, Xenotransplantation—2000, **44**

zoonotic infection, Polymicrobial tenosynovitis with *Pasteurella multocida* and other Gram negative bacilli after a Siberian tiger bite, **871**